

## [ख] SANITARY WORK

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	म. अ. क. (VAT) बाहेक (रु.)			कैफियत
			आ. व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
1	<b>Porcelain Clay Sanitaryware (Hindware, Paryware, Somany, cera or eqv. कम्पनीका सामानहरू)</b>					
	<b>White glazed porcelain pan</b>					
	i) 530mm size white glazed without siphon	सेट	2290.00	2290.00	2450	
	ii) 500 mm size white glazed without siphon	„	1990.00	1990.00	2661	
	iii) 580 mm size orrisa Pan	„	2228.00	2228.00	3273	
	iii) 580 mm size white glazed Indian pan	„	952.00	952.00	1019	
	iv) Siphon 'p' or 's' type	„	535.00	535.00	572	
	v) Asian Pan 51x40 Rectangular	„	2290.00	2290.00	2450	
	<b>Porcelain Clay Cistern</b>					
	i) white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings )	„	3229.20	3229.20	3455	
	ii) White glazed porcelain clay 10 lit. Cistern cover only.	„	605.00	605.00	647	
	iii) White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	„	3355.00	3355.00	3590	
	<b>Commode</b>					
	i) White glaze porcelain clay regular commode with 'p' trap	सेट	1440.00	1440.00	1541	
	ii) White glazed porcelain clay EWC regular commode with 's' \ p trap	„	1656.00	1656.00	1772	
	iii)(b) White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.(Hindware, Paryware, Somany, cera or eqv.)		16440.00	16440.00	17591	
	iv) White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.(Hindware, Paryware, Somany, cera or eqv.)	„	26200.00	26200.00	28034	
	iv) White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.(Bolan, Tita, Akwa or eqv.)	„		18500.00	19795	
	viii)(c) White glazed porcelain clay Ewc wall mounted commode without cistern all complete set..(Bolan, Tita, Akwa or eqv.)	„	4765.00	4765.00	5099	
	ix) White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	„	7854.00	7854.00	8404	
	x) 600 to 900 mm Grab bar	„		5500	5885	
	<b>Bidet set</b>					
	i) Porcelain clay white glaze Bidet.	सेट	3350/-	3350	3585	
	<b>Urinal set</b>					
	i) Porcelain clay white glaze large flat back urinal 61×41×38 cm size (Hindware, Paryware, Somany, cera or eqv.)	सेट	3787.00	3787.00	4052	
	ii) Porcelain clay small Urinal (46.5×35.5×26.5) cm size .(Hindware, Paryware, Somany, cera or eqv.)		1706	1706	1825	
	iv) White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set.(Hindware, Paryware, Somany, cera or eqv.)	„	1469.00	1469.00	1572	
	vi) Wall mounted Urinal with sensor complete set.( Duravit, Grohe, American standard and equivalent)	„	91000/-	91000	97370	
	<b>Porcelain Clay Urinal Squatting Plate</b>					
	i) white glaze squatting plate Small Size (45×35)cm	सेट	1100	1100	1177	
	ii) Porcelain clay white glaze squatting plate large size	„	1320.00	1320.00	1412	
	iii) Porcelain clay super color squatting plate large size.	„	2560.00	2560.00	2739	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	i) Porcelain clay white glaze wash basin (500×400) cm size regular.	सेट	994.00	994.00	1064	
	iii) Porcelain clay white glaze wash basin (50×40) cm	,,	1344.00	1344.00	1438	
	iv) Do but wash basin (45×32)cm	,,	966.00	966.00	1034	
	vi) white glazed porcelain clay Corner basin 40x40 complete set	सेट	1090.00	1090.00	1166	
	vii) white glazed porcelain clay U-counter basin complete.(Duravit, Grohe, American standard or equiv)	,,	3276.00	7575.00	8105	
	ix) white glazed porcelain clay U-counter wash basin, complete.(Duravit, Grohe, American standard or equiv)	,,	7178.00	12500.00	13375	
	x)(a) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.(Duravit, Grohe, American standard or equivalent)	,,		9500.00	9500	
	x)(b) White glazed porcelain clay Semi pedestal large counter wash basin 750*500 mm with complete set.	,,	5655.00	5655.00	6051	
	d) White glaze porcelain clay Basin for disable with grab bar all complete	,,	18645	18645	19950	
	<b>Pedestal:</b>					
	i) Porcelain clay white glaze pedestal	,,	1250	1250	1338	
	iii) White glazed Porcelain clay half pedestal complete set.	,,	1515.00	1515.00	1621	
	iv) First color glazed Porcelain clay half pedestal complete set.	,,	1790.00	1790.00	1915	
	v) Two piece pedestal with Basin" complete set.( Duravit, Grohe, American standard or equivalent)	,,	12080.00	12080.00	12926	
	<b>Urinal Partition</b>					
	White glaze porcelain clay (68×30)cm division plate	,,	1580.00	1580.00	1691	
	<b>Lab sink</b>					
	i) Porcelain clay white glaze large size	,,	2016.00	2016.00	2157	
	ii) Porcelain clay white glaze small size	,,	1500.00	1500.00	1605	
	iii) Porcelain clay janitor sink 58×71×43.5 size	,,	25000.00	25000.00	26750	
	<b>Kitchen sink</b>					
	i) Porcelain clay large	सेट	3414	3414	3653	
	ii) Porcelain clay small	,,	3093	3093	3310	
	iii) drain board white 53x45	,,	1183.00	1183.00	1266	
	iii) Soap dish	,,	600.00	600.00	642	
	iv) White glaze foot rest	,,	380.00	380.00	407	
	v) White glaze Toilet paper holder	,,	1050.00	1050.00	1124	
	<b>2 PVC Cistern Set</b>					
	i) single flush	सेट	1790.00	1790.00	1915	
	ii) Deluxe single flush	,,	2000.00	2000.00	2140	
	iii) Dual flush 6/3 lit. cistern complete set.	,,	2691.00	2691.00	2879	
	iv) concealed cistern with plate complete set.( Viega, Geberit, American standard or equivalent)	,,	15300.00	15300.00	16371	
	v) 32 mm pvc bottle trap set.	पिस	432.00	432.00	462	
	vi) 1.5x45 cm pvc pipe connector set.	,,	130.00	130.00	139	
	vi) Bakelite toilet seat cover set.	,,	250.00	250.00	268	
	<b>3 Stainless Steel Accessories etc.</b>					
	Stainless steel Deep sink 45×45×30 size	,,	16500/-	16500	17655	
	Stainless steel Orissa pan LP 210 size	,,	7700.00	7700.00	8239	
	Stainless steel wash basin model 251 12" round size with pedestal	,,	12033	12033	12875	
	Stainless steel wash basin 500 mm model 277 with complete set	,,	9324	9324	9977	
	Stainless steel commode S trap with self closing complete set	,,	15928	15928	17043	
	Wall mixer (single lever) bath faucet with hand shower( Grohe.					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	Bath tub (single lever )with hand shower( Grohe, Hansgrohe, American standard or equivalent)	"	16724/-	16724	17895	
	External Shower Wall mixer (single control) bath faucet with hand shower( Grohe, Hansgrohe, American standard or equivalent)	"	23377/-	23377	25013	
	Wall mixer (single control) bath faucet with hand shower(conceal system)( Grohe, Hansgrohe, American standard or equivalent)	"	14474/-	14474	15487	
	Wall mixer (single control) shower faucet (conceal system)( Jaquare, Somany, Essel or equivalent)	"	3795/-	3795	4061	
	conceal mixer faucet( Jaquare, Somany, Essel or equivalent)	"	5857/-	5857	6267	
	Stainless steel Angle valve( Grohe, Hansgrohe, American standard or equivalent)	"	750/-	750	803	
	Stainless steel two way Angle valve( Jaquare, Somany, Essel or equivalent)	"	1050/-	1050	1124	
	Stainless steel bowl 19"×16" diamond board 37" long	"	2425/-	2425	2595	
	Stainless steel bowl with diamond board 37" long	"	3321/-	3321	3553	
	Stainless steel bowl with ordinary board 37" long	"	2100/-	2100	2247	
	Stainless steel double bowl with double drain board 36" * 18 "size	"	12628/-	12628	13512	
	Stainless steel double bowl with single drain board ordinary	"	5250/-	5250	5618	
	Stainless steel p trap bottle trap for basin	"	2109/-	2109	2257	
	Stainless steel Kitchen sink mixture( Jaquar, Somany, Essel or equivalent)	"	7629/-	7629	8163	
	Stainless steel Kitchen sink faucet( Jaquar, Somany, Essel or equivalent)	"	5049/-	5049	5402	
	Stainless steel Kitchen sink mixture( Jaquar, Somany, Essel or equivalent)	"	7629/-	7629	8163	
	Stainless steel 1500mm flexible hose pipe( connection pipe)	"	1327/-	1327	1420	
	Stainless steel Hose ringer 1200 mm	"	1156/-	1156	1237	
	Stainless steel commode spray with hose pipe (Grohe, hansgrohe, American standard or equivalent)	"	1631/-	1631	1745	
	Stainless steel basin mixer( single control)(Grohe, hansgrohe, American standard or equivalent)	"	6300/-	6300	6741	
	Stainless steel single faucet for basin( Jaquar, Somany, Essel or equivalent)	"	4015/-	4015	4296	
	Stainless steel Sink 700*450*200	"	22000/-	22000	23540	
	Stainless steel Sink table top1200*600*300	"	30400/-	30400	32528	
	Steel Split clamp with washer all complete	"	30400/-	30400	32528	
	75 mm dia	lk;	300/-	300	321	
	110 mm dia		400/-	400	428	
	160 mm dia		700-	700	749	
	Stainless steel telephonic shower( Jaquare, Somany, Essel or equivalent)	गोटा	1125/-	1125	1204	
	Stainless steel shower with sliding bar( Jaquare, Somany, Essel or equivalent)	"	2700/-	2700	2889	
	Stainless steel shower with sliding bar(Grohe, hansgrohe, American standard or equivalent)	"			9500	
	Stainless steel bottle trap ( Viega, Somany, Jaquar or equivalent)	"	487/-	587	628	
	Stainless steel towel bar 450 mm	"	1125/-	1125	1204	
	<b>Stainless steel water tank</b> fitting with all complete set (304 grade steel )					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	Capacity 1500 ltr	॥	23894	23894	23894	
	Capacity 2000 ltr	॥	31858	31858	31858	
	<b>Sinks Other Types:</b>					
	<b>Scrub sink</b>					
	a) 1.2 mts (18" deep+6" splash )	सेट	49365/-	-	-	
	b) 1.5 mts (18" deep+6" splash )	॥	61705/-	-	-	
	c) 1.0 mts (18" deep+6" splash )	॥	41135/-	-	-	
	d) 0.9 mts (18" deep+6" splash )	॥	37025/-	-	-	
	a) 1.2 mts (21" deep+6" splash )	॥	53000/-	-	-	
	b) 1.5 mts (21" deep+6" splash )	॥	66250/-	-	-	
	c) 1.0 mts (21" deep+6" splash )	॥	44165/-	-	-	
	d) 0.9 mts (21" deep+6" splash )	॥	39745/-	-	-	
	<b>Table Top with Sink</b>					
	42"x24"x12" deep+ 6" splash with					
	18"x24" drain and 24"x18"x12" sink			-	-	
	a) without frame and legs	सेट	22750/-	-	-	
	b) with s.s. frame and legs	॥	27500/-	-	-	
	<b>Deep Scrub Sink</b>			-	-	
	28"x28"x24" deep+ 6" splash with			-	-	
	24"x24"x24" sink			-	-	
	a) without frame and legs	सेट	21485/-	-	-	
	b) with s.s. frame and legs	॥	26500/-	-	-	
	<b>Super lab sink</b>					
	i) super lab sink large size	॥	3913/-	3913	4187	
	ii) super lab sink small size	॥	3086/-	3086	3302	
	<b>Super kitchen sink</b>					
	i) super kitchen sink large size	॥	6773/-	6773	7247	
	ii) super kitchen sink small size	॥	6130/-	6130	6559	
	<b>4 Modern Sanitaryware: Grohe, Hansgrohe, American Standard or eqv.</b>					
	iv) Hand dryer Germany	॥	17600/-	17600	18832	
	v) Hand Dryer Chinese	॥	6500/-	6500	6955	
	vi) Indian Mark Brand Flush valve	॥	5200/-	5200	5564	
	xii) Auto sensor for basin - Grohe, hansgrohe, American standard or equiv.	॥	32000/-	32000	34240	
	xv) European pattern liquid soap container stainless steel	॥	5500/-	5500	5885	
	xvii) Looking Mirror Modi guard 450x600mm (18"x 24")	॥	1324/-	1324	1417	
	<b>European Pattern C.P. Grab Bar for disable</b>					
	a) 30cm long bend type	॥	4343/-	4343	4647	
	b) 45 cm long bend type	॥	4548/-	4548	4866	
	c) 60 cm long bend type	॥	5823/-	5823	6231	
	<b>5 C.P. Accessories( jaquar, somany, essel or equivalent)</b>					
	1) Toilet paper holder	॥	450.00	450.00	495	
	2) Soap dish	॥	450.00	450.00	495	
	3) Towel rod ½"×18" size	॥	450.00	450.00	495	
	4) Towel rod ¾"×24" size	॥	500.00	500.00	550	
	5) Glass shelf	॥	600.00	600.00	660	
	6) C.P. bottle trap	॥	1100.000	1100.000	1210	
	7) 32 mm×60cm long C.P flush pipe	॥	450.000	450.000	495	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	10) 15 mm dia. C.P. spreader	"	830.00	830.00	913	
	11) 15 mm dia. C.P. wall mixture	"	4797.00	4797.00	5277	
	i) 3" dia. Shower rose , revolving type	"	800.00	800.00	880	
	ii) 4" dia. Shower rose , revolving type	"	900.00	900.00	990	
	iii) Shower rose ordinary	"	500.00	500.00	550	
	iv) Shower rod 12" long	"	250.00	250.00	275	
	C.P. 15 mm dia. Angle Valve	"	1098	1098	1208	
	C.P. 15 mm dia Concealed Stop Cock	"	1595	1595	1755	
	C.P. 15mm Bib Cock	"	1201	1201	1321	
	C.P. 15 mm dia swan neck Pillar Cock	"	1175	1175	1292	
	C.P. 15 mm dia Stop Cock	"	1175	1175	1292	
	C.P. 15 mm dia Sink Cock	"	1155	1155	1271	
	C.P. 15 mm dia Sink Mixture	"	3947	3947	4341	
	C.P. 32 mm dia Flush Valve	"	4770	4770	5247	
	C.P. 32 mm dia Waste Coupling for basin	"	374.00	374.00	411	
	C.P. 32 mm dia Waste Coupling for Urinal	"	608.00	608.00	669	
	C.P. Basin Mixture	सेट	4095.00	4095.00	4505	
	15 mm dia Bath Tub Spout with Wall Hinge	"	1528.00	1528.00	1681	
	C.P. Exclusive Shower Arm with Hinge	"	1778.00	1778.00	1956	
	15 mm bath tub spout with bottom attachment of telephonic shower	"	3680/-	3680	4048	
	15 mm wall mixture lever type telephonic shower of flexible type heavy.	"	6,045.00	6045	6650	
	C.P. flexible pipe	गेटा	160.00	160.00	176	
	C.P. Grating					
	i) 4" dia.	"	44/-	44	48	
	ii) 5" dia.	"	55/-	55	61	
	i) C.P. Toilet Paper Holder	"	820.00	820.00	902	
	ii) C.P. Soap Dish(Polyurethane)	"	920.00	920.00	1012	
	iii) C.P. Towel Rod 18"	"	1393.00	1393.00	1532	
	iv) C.P. Towel Rod 24"	"	1468.00	1468.00	1615	
	v) C.P. Glass Shelf 22"	"	1995.00	1995.00	2195	
	vi) C.P. Coat Hook Double	"	717.00	717.00	789	
	<b>C.P. बाट निर्मित सामग्रीहरू( jaquar, somany, essel or equivalent)</b>	"				
	i) C.P. Toilet Paper Holder	"	855.00	855.00	941	
	ii) C.P. Soap Dish(Polyurethane)	"	744.00	744.00	818	
	iv) C.P. Towel Rod 24"	"	1450.00	1450.00	1595	
	v) C.P. Glass Shelf 22"	"	1970.00	1970.00	2167	
	vi) C.P. Coat Hook Double	"	669.00	669.00	736	
	<b>ix) C.P. Angle Cock</b>					
	15mm C.P. Angle Cock	"	818.00	818.00	900	
	15 mm C.P. Angle Cock Long Thread	"	870.00	870.00	957	
	<b>x) C.P. Conceal Stop Cock</b>	"				
	i) 15 mm Reduced body	"	1003.00	1003.00	1103	
	ii) 15 mm Extra Heavy Body	"	1227.00	1227.00	1350	
	<b>xi) C.P. Bib Cock</b>	"				
	i) 15mm C.P. Auto Closing Bib Cock With Aerator	"	2305.00	2305.00	2536	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	<b>xii) C.P. Pillar Cock</b>	''				
	i) 15 mm C.P. Pillar Cock With Aerator	''	1115.00	1115.00	1227	
	ii) 15mm Auto Closing Pillar Cock With Aerator	''	2230.00	2230.00	2453	
	i) 15mm C.P. Sink Cock	''	1412.00	1412.00	1553	
	ii) C.P. Sink Mixer	''	3500.00	3500.00	3850	
	iii) 15 mm C.P. Sink Mixer With Revolving Spout	''	3050.00	3050.00	3355	
	<b>xv) C.P. Bottle Trap 32mm</b>	''	1635.00	1635.00	1799	
	32 mm C.P. Conceal Flush Valve Dual Flow	''	3419.00	3419.00	3761	
	<b>xvii) C.P. Waste Coupling</b>	''				
	32 mm C.P. Waste Coupling H/T	''	394.00	394.00	433	
	32 mm C.P. Waste Coupling F/T	''	394.00	394.00	433	
	<b>xviii) 15 mm Urinal Auto-Closing Valve with Built-in Control Cock</b>	''	2378.00	2378.00	2616	
	<b>xix) 15 mm C.P. Wall Mixer</b>					
	15 mm C.P. Wall Mixer With Lower Bend Pipe	''	3939.00	3939.00	4333	
	15 mm C.P. Wall Mixer With Upper Bend Pipe	''	3939.00	3939.00	4333	
	<b>xx) C.P. Basin Mixer</b>	''				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	''	3271	3271	3599	
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	''	3434	3434	3778	
	<b>xxi) 15mm Bath Tub Spout with wall flange</b>	''				
	15mm Bath Tub Spout with wall Flange	''	1115.00	1115.00	1227	
	15mm Bath Tub Spout with button attachment	''	1784.00	1784.00	1962	
	<b>xxii) C.P. Casted Shower Arm with Flange</b>	''				
	15 mm Casted Shower Arm Light	''	594.00	594.00	653	
	15 mm Casted Shower Arm Heavy	''	966.00	966.00	1063	
	<b>xxiii) 15 mm Telephonic Hand Shower</b>					
	With 1.50 m. PVC Tube	''	1581.00	1581.00	1739	
	With 1.5 Flexible Tube	''	2453.00	2453.00	2698	
	<b>xxiv) Auto closing urinal flush valve</b>					
	15mm presmatic auto closing urinal flush valve	गोटा	-	-	3130	
	<b>xxiv) Other accessories</b>					
	15mm Wall Mixer Single Lever for Telephonic Shower Arrangement	गोटा	4386.00	4386.00	4693	
	15 mm Braided Hose for E.W.C.	''	270.00	270.00	289	
	15 mm Health Faucet (Commode Spray)	''	1040.00	1040.00	1113	
	15 mm pillar cock with 200 mm extended lever handle	''	1375.00	1375.00	1471	
	15 mm Bib cock with 200 mm extended lever handle	''	1450.00	1450.00	1552	
	Single lever surgical purpose elbow action basin mixer with extended operating lever	''	5404.00	5404.00	5782	
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	''	5241.00	5241.00	5608	
	Sensor mixer for wash basin (Battery operated)	''	18584.00	18584.00	19885	
	Wall mounted Sensor mixer for operation theater (Battery operated)	''	18584.00	18584.00	19885	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	Sensor valve for Urinal	„	9664.00	9664.00	10340	
	Basin cock Sensor	„	13082	13082	13998	
	15mm U shaped sink cock	„	1553	1553	1662	
	Sink Mixture with U shape swinging spout	„	3047.00	3047.00	3260	
	15mm metallic Health Faucet (Commode Spray)	„	1970.00	1970.00	2108	
<b>7</b>	<b>Electric &amp; Solar Geyser</b>					
	i) 10 lit. cap. electric water heater	गोटा	10200.00	10200.00	10914	
	ii) 25 lit cap. " " "	„	15725.00	15725.00	16826	
	iii) 35 lit cap " " "	„	19550.00	19550.00	20919	
	iv) 50 lit cap " " "	„	23375.00	23375.00	25011	
	iv) Gas water heater with cylinder	„	8000.00	8000.00	8560	
	vi) 200 lit cap. 3 panel solar heater with fittings	„	44550.00	-	-	
	vii) 300 lit cap. 3 panel solar heater with fittings	„	49376.00	-	-	
	viii) 400 lit cap. 4 panel solar heater with fittings	„	54000.00	-	-	
	x) 500 lit cap. 4 panel solar heater with fittings	„	62000.00	-	-	
	xi) 15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	11000.00	11000.00	11770	
<b>8</b>	<b>C.I. Manhole Cover including frame.</b>					
<b>8.1</b>	<b>Square Frame (in outer dia)</b>					
	<b>Medium Duty</b>					
	i) 10" × 10" (4 Kg.)	सेट	607	607	650	
	ii) 12" × 12" (5 Kg.)	„	759	759	812	
	iii) 14" × 14" (7 Kg.)	„	1063	1063	1137	
	v) 16" × 16" (10 Kg.)	„	1518	1518	1624	
	vi) 18" × 18" (14 Kg.)	„	2277	2277	2436	
	viii) 20" × 20" (16 Kg.)	„	2429	2429	2599	
	ix) 22" × 22" (20 Kg.)	„	3036	3036	3249	
	x) 24" × 24" (24 Kg.)	„	3896	3896	4169	
	xi) 27" × 27" (31 Kg.)	„	4706	4706	5035	
	<b>Heavy Duty</b>					
	iii) 14" × 14" (14 Kg.)	„	2125	2125	2274	
	ix) 22" × 22" (22 Kg.)	„	3340	3340	3573	
	xi) 27" × 27" (45 Kg.)	„	6831	6831	7309	
<b>8.2</b>	<b>Rounded Manhole Cover (Outer dia.)</b>					
	<b>Medium class</b>					
	i) 18" dia. Round Manhole cover with square frame (60 Kg.)	सेट	8250.00	8250.00	8827.50	
	ii) 20" dia. Round Manhole cover with square frame (70 Kg.)	„	11000.00	11000.00	11770.00	
	iii) 20" dia. Round Manhole cover with square frame (100 Kg.)	„	13750.00	13750.00	14712.50	
	iv) 22" dia. Medium class. (125 Kg.)	„	17600.00	17600.00	18832.00	
	v) 22" dia. Heavy class. (208Kg.)	„	26290.00	26290.00	28130.30	
	vi) 24" dia. Medium class. (40 Kg.)	„	5632.00	5632.00	6026.24	
	vii) 24" dia. Heavy class (Load Test 8 Ton) (50 Kg.)	„	7040.00	7040.00	7532.80	
	viii) 24" Round Manhole cover with square frame (IS:1726 ) (70 Kg.)	„	10120.00	10120.00	10828.40	
	ix) 26" Round Manhole cover with square frame (IS:1726 ) (85 Kg.)	„	12320.00	12320.00	13182.40	
	x) 28" Round Manhole cover with square frame (IS:1726 ) (116					

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	xi) 28" Round Manhole cover with square frame (IS:1726 ) (116 Kg.)	॥	16280.00	16280.00	17419.60	
<b>8.3</b>	<b>C.I. Tank Cover Locking Types</b>					
	<b>Round</b>					
	18" (8 Kg.)	सेट	1518.00	1518.00	1624.26	
	20" (12 Kg.)	॥	2226.40	2226.40	2382.25	
	22" (14 Kg.)	॥	2530.00	2530.00	2707.10	
	24" (16 Kg.)	॥	3036.00	3036.00	3248.52	
	28" (24 Kg.)	॥	4554.00	4554.00	4872.78	
	<b>Square</b>					
	18" x 18" (13 Kg.)	सेट	2530.00	2530.00	2707.10	
	24" x 24" (50 Kg.)	॥	9108.00	9108.00	9745.56	
	<b>Rectangular</b>					
	18" x 24" (27 Kg.)	सेट	5060.00	5060.00	5414.20	
<b>8.4</b>	<b>C.I. Gully Gratings &amp; Jali</b>					
	<b>Round Jali Strip Medium Duty</b>					
	4"	सेट	91	91	97	
	5"	॥	121	121	130	
	6"	॥	162	162	173	
	10"	॥	557	557	596	
	<b>Square Jali Strip Medium Duty</b>					
	4" x 4"	सेट	81	81	87	
	5" x 5"	॥	101	101	108	
	6" x 6"	॥	121	121	130	
	9" x 9"	॥	354	354	379	
	10" x 10"	॥	455	455	487	
	12" x 12"	॥	658	658	704	
	<b>C.I. Gully Gratings</b>					
	i) 15"×18" Medium (18 Kg.)	सेट	3340	3340	3573	
	ii) 15"×18" Heavy (25 Kg.)	सेट	4554	4554	4873	
	<b>Grit Cover</b>					
	फलामे एङ्गलको फ्रेममा फलामे पत्तिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम (विभिन्न साइजमा)	के.जी.	152	152	162	
	<b>Aluminum Grating 4" dia.</b>	गोटा	39	39	41	
<b>9</b>	<b>G.I. Water Tank (17 Gauge)</b>					
	i) 100 gls	गोटा	8075/-	8075/-	8075/-	
	ii) 200 gls	॥	12685/-	12685/-	12685/-	
	iii) 300 gls	॥	15955/-	15955/-	15955/-	
	iv) 400 gls	॥	19155/-	19155/-	19155/-	
	v) 500 gls	॥	22365/-	22365/-	22365/-	
	<b>G.I. Water Tank (16 BWG TATA Sheet)</b>					
	i) 100 gls	गोटा	8517.70	8517.70	8517.70	
	ii) 200 gls	॥	12880.53	12880.53	12880.53	
	iii) 300 gls	॥	17101.77	17101.77	17101.77	
	iv) 400 gls	॥	20491.15	20491.15	20491.15	
	v) 500 gls	॥	23880.53	23880.53	23880.53	
<b>10</b>	<b>Roof Top PVC Water Tank</b>					



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	iii) Horizontal PVC water tank	„	10.70	11.00	12	
<b>11</b>	<b>Water Pumps/Hand Pumps</b>					
	Indian Mark-III , Deep Well Hand Pump					
	6 No. hand pump	गोटा	1463.00	1463.00	1536	
	<b>Water Pump :</b>					
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	10065	10065	10568	
	ii) ½ H.P. Water Pump mono block type	„	5786	5786	6075	
	iii) 1.0 H.P. water pump Multistage	„	13184	13184	13843	
	iv) 1.0 H.P. water pump (mono block type)	„	8752	8752	9189	
	v) 2.0 H.P. water pump	„	20885	20885	21929	
	vi) 2.0 H.P. 3 phase water pump	„	22050	22050	23153	
	vii) 5.0 HP 3 phase water pump	„	26497	26497	27822	
	<b>Jet Water Pump</b>					
	i) 1.10 H.P.	सेट	20000.00	20000.00	21000	
	ii) Double Stage jet 1.10 H.P.		24000.00	24000.00	25200	
	ii) 1.5 H.P.	„	27000.00	27000.00	28350	
	<b>Super Sunction</b>					
	i) ½ H.P	सेट	8250.00	8250.00	8663	
	ii) 0.75 H.P.	„	7700.00	7700.00	8085	
	iii) 1.0 H.P.	„	13200.00	13200.00	13860	
	<b>Water Pump (Grundfoss, pentair, Pedrello or equiv)</b>					
	i) 1.0 H.P. Single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	16830	16830	17672	
	ii) 2 H.P. single pump set " "	„	27030/-	27030	28382	
	<b>Fire pump</b>					
	<b>Submersible Pump (Italian)</b>					
	i) 1.0 H.P.	„	24123	24123	25329	
	ii) 2.0 H.P.	„	44750	44750	46988	
	<b>Electric Water Pump (Chinese)</b>					
	i) ½ H.P	„	1575/-	1575	1654	
	ii) ¾ H.P.	„	2052/-	2052	2155	
	iii) 1.0 H.P.	„	3024/-	3024	3175	
	<b>Submersible Pump Sarvo/Bimal or equivalent</b>					
	i) ½ H.P open well type	„	15400	15400	16170	
	ii) 1.1 H.P open well type	„	22550	22550	23678	
	iii) 1.5 H.P open well type	„	27500	27500	28875	
	<b>Vertical Submersible Pump Sarvo/Bimal or equivalent</b>					
	i) 1.1 H.P	„	25200	25200	26460	
	iii) 1.5 H.P	„	30450	30450	31973	
<b>12</b>	<b>Fire fighting equipment and accessories ( safeguard india or equiv)</b>					
	swinging nose nozzle with 20mm hydraulic rubber branded nose length 30rm winding up to 170° U-shape hose reel carrier with drum set	सेट	19700/-	19700/-	-	
	Gun metal two way collection head with 63 mm dia Instantaneous type inlet with built in check meter fore fine bridge connection to under ground tank or to fine reel, minimax	„	18480/-	18480/-	-	
	IS 5290, hose box size 30"×24"×10", 63 mm hose reel with 30m length or (15×2m) Gun metal branch pope with nozzles coupling set, (Hose box 5063, hose pipe = 7500, nozzles coupling 2500, landing valve =8500	„	27214/-	27214/-	-	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	Stainless steel Horizontal monoblock of pressure 70 m head with 30 mm inlet and outlet 25 mm built in pressure device and thermal over load protection, 0.75 kw single phase	„	95000/-	-	-	
<b>13</b>	<b>Fire extinguisher ABC stored Pressure आपतकालिन आगलागी हुँदा प्रयोग गरिने सामग्री ९ safeguard india or equivalent)</b>				-	
	i) 1 kg size ABC stored pressure type Fire extinguisher	गोटा	3330/-	3330/-	-	
	ii) 2 kg size ABC „ „ „	गोटा	3330/-	3330/-	-	
	iii) 3.0kg size ABC „ „ „	„	5040	5040	-	
	iii) 5.0kg size ABC „ „ „	„	7130	7130	-	
	iv) ABC store pressure type 1.0kg cap of fire extinguisher refill	युनिट	1050/-	1050/-	-	
	v) ABC sore pressure type 2.0kg cap of fire extinguisher re-fill	„	1575/-	1575/-	-	
	vi) ABC sore pressure type 5 kg cap of fire extinguisher re-fill	„	2100/-	2100/-	-	
	vii) 4.5 kg size ABC stored pressure type fire extinguisher	„	5040/-	5040/-	-	
	viii) 2.5 kg size ABC „ „ „	„	3098/-	3098/-	-	
	ix) Co <sub>2</sub> Type fire extinguisher 6.80 lit .	„	7539/-	7539/-	-	
	x) Foam type fire extinguisher 9 lit capacity	गोटा	2474/-	2474/-	-	
<b>14</b>	<b>Insulation for hot water pipe 'Acroflex'</b>				-	
	15mm Insulation 6 mm wall thickness	र.मी	85/-	85/-	-	
	20mm Insulation 6 mm wall thickness	„	158/-	158/-	-	
	25mm Insulation 6 mm wall thickness	„	126/-	126/-	-	
	32mm Insulation 6 mm wall thickness '	„	158/-	158/-	-	
<b>15</b>	<b>ACRYLIC GLASS SHELF</b>				-	
	i) Acrylic glass shelf best quality	सेट	3071/-	3071/-	-	
	ii) Acrylic glass shelf ordinary	„	866/-	866/-	-	
	iii) Shower curtain	„	195/-	195/-	-	
<b>16</b>	<b>Water Purification System</b>				-	
	Euro Guard Water purification system (one litre per minute)	युनिट	16263/-	16263/-	-	
	Euro-guard water purification system (hi-flow 3 lit/min)	„	22035/-	22035/-	-	
	AQUA-ALO water purifier (1.0 lit/min)	„	13685/-	13685/-	-	
	AQUA-power water purifier	„	9484/-	9484/-	-	
	RO feed pump	सेट	32000/-	32000/-	-	
	Fire Sprinkler	„	600.00	600.00	-	
	Supply,installation, testing and commisioning of Aeration system ( FRP Tray type)	„	35000.00	35000.00	-	
	Supply, installation, testing and commisioning of Dual Media Filter ( DMF) FRP vessel with multiport valve, filter media and required accessories complete set (144”x14” Ø)	„	85000.00	-	-	
	Supply, installation, testing and commisioning of Dosing Pump 0.5 HP (Groundfos or equivalent)	„	15000.00	15000.00	-	
	<b>Filter Media for existing filtration system</b>				-	
	Pebbles	के.जी.	27	27	-	
	Coarse silex	„	32	32	-	
	Gravel	„	27	27	-	
	Golden sand	„	27	27	-	
	Anthracite	„	108	108	-	
	MNo <sub>2</sub>	„	126	126	-	
	Activated Carbon	„	180	180	-	
	Motor starter switch	„	3398/-	3398/-	-	
	Pressure sensor switch for water tank(Italian)	„	3675/-	3675/-	-	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	a) Bath tub – 3'6" Medium	सेट	6090/-	6090/-	-	
	Bath tub – 3'6" Heavy	"	7245/-	7245/-	-	
	b) Bath tub – 4'0" Medium	"	6510/-	6510/-	6510/-	
	Bath tub _ 4'0" Heavy	"	7560/-	7560/-	7560/-	
	c) Bath Tub – 4'6" Medium	"	7875/-	7875/-	7875/-	
	Bath tub – 4'6" Heavy	"	7900/-	7900/-	7900/-	
	d) Bath tub – 5'0" Medium	"	8610/-	8610/-	8610/-	
	Bath tub _ 5'0" Heavy	"	8500/-	28500/-	28500/-	
	e) Bath Tub – 5'6" Medium	"	7725/-	7725/-	7725/-	
	Bath tub – 5'6" Heavy	"	9100/-	9100/-	9100/-	
	f) Bath Tub – 6'0" Medium	"	12500/-	12500/-	12500/-	
	Bath tub – 6'0" Heavy	"	15750/-	35750/-	35750/-	
<b>18</b>	<b>Shower Tray 3'0"×3'0"</b>	गोटा	485/-	3485/-	3485/-	
	<b>Pipes and fittings</b>					
<b>19</b>	<b>PPR Pipe (Poly propylene random co- polymer pipe Panchakanya , Nepatop or Eqv.)</b>					
	<b>1) PP-R Pipe (PN-10)</b>					
	20mm outer,1.9 mm thick, 0.107 kg/m	र.मि	66.05	58.85	63	
	25mm " 2.3 mm thick 0.164kg/m	"	100.75	89.77	95	
	32mm 2.9 mm thick 0.26kg/m	"	161.20	143.63	152	
	40mm 3.7 mm thick 0.412kg/m	"	254.12	226.42	239	
	50mm 4.6 mm thick 0.638kg/m	"	394.05	351.11	372	
	63 mm 8.6 mm thick 0.638kg/m	"	621.31	553.59	588	
	75 mm	"	867.59	773.03	820	
	90 mm	"	1249.33	1113.16	1181	
	110 mm	"	1852.72	1650.79	1751	
	<b>2) PP-R Pipe (PN-16)</b>					
	20mm 2.80 mm thick 0.148kg/m	"	90.68	80.79	84	
	25mm 3.50 mm thick 0.26kg/m	"	141.05	125.68	131	
	32mm 3.7 mm thick 0.230kg/m	"	227.25	202.48	209	
	40mm 5.50 mm thick 0.575kg/m	"	354.87	316.19	335	
	50mm 6.90 mm thick 0.896kg/m	"	551.90	491.75	521	
	63 mm 4.6 mm thick 0.638kg/m	"	867.59	773.03	820	
	75 mm	"	1237.01	1102.19	1169	
	90 mm	"	1766.52	1573.99	1670	
	110 mm	"	2647.54	2358.99	2501	
	<b>3) PP-R Pipe (PN-20)</b>					
	20mm 3.4 mm thick 0.172 kg/m	"	105.23	93.76	100	
	25mm 4.20 mm thick 0.266kg/m	"	163.44	145.63	155	
	32mm 5.40 mm thick 0.434kg/m	"	267.55	238.39	252	
	40mm 6.70 mm thick 0.671kg/m	"	414.20	369.06	390	
	50mm 8.30 mm thick 1.04kg/m	"	640.34	570.55	605	
	63mm 8.6mm thick 1.04kg/m	"	1015.36	904.69	960	
	75 mm	"	1440.76	1283.73	1361	
	90 mm	"	2068.78	1843.30	1955	
	110 mm	"	3084.14	2748.00	2915	
	<b>PP-R Pipe Accessories :</b>					
	<b>Elbow ( 90<sup>0</sup> )</b>					
	20mm	गोटा	13.29	11.84	13	
	25mm	"	25.55	22.77	27	
	32mm	गोटा	41.91	37.34	45	
	40mm	"	86.88	77.41	95	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	75 mm	”	534.57	476.31	526	
	90 mm	”	952.62	848.79	888	
	110 mm	”	1710.01	1523.64	1653	
	<b>Equal Tee</b>					
	20mm	”	17.38	15.48	18	
	25mm	”	30.66	27.32	32	
	32mm	”	53.15	47.36	56	
	40mm	”	102.21	91.07	109	
	50mm	”	169.67	151.18	185	
	63mm	”	313.79	279.59	337	
	75 mm	”	636.78	567.38	584	
	90 mm	”	1134.56	1010.90	1069	
	110 mm	”	1939.99	1728.55	1858	
	<b>Coupler</b>					
	20mm	गोटा	12.27	10.93	11	
	25mm	”	15.33	13.66	13	
	32mm	”	25.55	22.77	27	
	40mm	”	48.04	42.80	52	
	50mm	”	76.66	68.30	86	
	63 mm	”	141.05	125.68	151	
	75 mm	”	279.04	248.63	292	
	90 mm	”	487.55	434.41	432	
	110 mm	”	863.69	769.56	788	
	<b>45 Degree Elbow</b>					
	20 mm	”	17.38	15.48	18	
	25 mm	”	28.62	25.50	30	
	32 mm	”	43.95	39.16	46	
	40 mm	”	82.79	73.77	86	
	50 mm	”	141.05	125.68	144	
	63 mm	”	223.85	199.45	238	
	75 mm	”	523.33	466.29	467	
	90 mm	”	946.49	843.33	788	
	110 mm	”	1604.73	1429.83	1378	
	<b>Union (Plastic)</b>					
	20mm	गोटा	63.37	56.46	70	
	25mm	”	108.35	96.54	119	
	32mm	”	172.74	153.91	192	
	40mm	”	294.37	262.29	290	
	50mm	”	698.11	622.02	456	
	63mm	”	803.39	715.83	544	
	<b>Reducing Coupler</b>					
	25mm*20mm	”	17.38	15.48	14	
	32mm*20mm	”	23.51	20.95	19	
	32mm*25mm	”	25.55	22.77	21	
	40mm*20mm	”	37.82	33.70	31	
	40mm*25mm	”	44.97	40.07	37	
	40mm*32mm	”	53.15	47.36	44	
	50mm*20mm	”	70.53	62.84	58	
	50mm*25mm	”	76.66	68.30	64	
	50mm*32mm	”	82.79	73.77	69	
	50mm*40mm	”	91.99	81.97	76	
	63mm*32mm	”	141.05	125.68	117	
	63mm*40mm	”	147.19	131.14	122	
	63mm*50mm	”	158.43	141.16	131	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	75mm*63mm	"	291.31	259.56	241	
	90mm*50mm	"	582.61	519.11	483	
	90mm*63mm	"	628.61	560.09	521	
	90mm*75mm	"	741.04	660.27	614	
	110mm*75mm	"	987.37	879.76	818	
	110mm*90mm	"	1145.80	1020.92	949	
	<b>Reducing Tee</b>					
	25*20*25 mm	"	31.69	28.23	26	
	32*20*32 mm	"	50.08	44.63	42	
	32*25*32 mm	"	54.17	48.27	45	
	40*20*40 mm	"	79.73	71.04	66	
	40*25*40 mm	"	82.79	73.77	69	
	40*32*40 mm	"	91.99	81.97	76	
	50*20*50 mm	"	106.30	94.72	88	
	50*25*50 mm	"	112.43	100.18	93	
	50*32*50 mm	"	181.94	162.11	151	
	50*40*50 mm	"	194.20	173.04	161	
	63*32*63 mm	"	240.20	214.02	199	
	63*40*63 mm	"	233.04	207.64	193	
	63*50*63 mm	"	258.60	230.41	214	
	75*50*75 mm	"	529.46	471.75	439	
	75*63*75 mm	"	552.97	492.70	458	
	90*63*90 mm	"	1117.18	995.42	926	
	90*75*90 mm	"	1198.95	1068.28	993	
	110*75*110 mm	"	1957.37	1744.03	1622	
	110*90*110 mm	"	2051.40	1827.82	1700	
	<b>Reducing Elbow</b>					
	25mm*20mm	"	26.58	23.68	22	
	32mm*20mm	"	38.84	34.61	32	
	32mm*25mm	"	49.06	43.71	41	
	<b>High Footed Pipe Clip</b>					
	20mm	गोटा	17.38	15.48	14	
	25mm	"	20.44	18.21	17	
	32mm	"	26.58	23.68	22	
	40mm	"	30.66	27.32	25	
	50mm	"	40.88	36.43	34	
	63 mm	"	47.02	41.89	39	
	<b>Low Footed Pipe Clip</b>					
	20mm	"	8.18	7.29	7	
	25mm	"	9.20	8.20	8	
	32mm	"	17.38	15.48	14	
	40mm	"	22.49	20.04	19	
	50mm	"	35.77	31.88	30	
	63 mm	"	46.00	40.98	38	
	<b>"Y" type Pipe Clip</b>					
	20mm	"	29.64	26.41	25	
	25mm	"	30.66	27.32	25	
	32mm	"	40.88	36.43	34	
	40 mm	"	58.26	51.91	48	
	<b>End Plug (short)</b>					
	20mm	"	17.38	15.48	14	
	25mm	"	26.58	23.68	22	
	32mm	"	40.88	36.43	34	
	<b>End Plug with Ring</b>					
	20mm	"	29.64	26.41	25	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	<b>End Cap</b>					
	20mm	”	17.38	15.48	14	
	25mm	”	26.58	23.68	22	
	32mm	”	40.88	36.43	34	
	40mm	”	63.37	56.46	53	
	50mm	”	106.30	94.72	88	
	63 mm	”	198.29	176.68	164	
	75 mm	”	296.42	264.11	246	
	<b>Cross Tee</b>					
	20mm	”	30.66	27.32	25	
	25mm	”	43.95	39.16	36	
	32mm	”	76.66	68.30	64	
	<b>Short Passover</b>					
	20mm	”	84.84	75.59	70	
	25mm	”	119.59	106.55	99	
	32mm	”	172.74	153.91	143	
	<b>Long Bypass</b>					
	20mm	”	112.43	100.18	93	
	25mm	”	162.52	144.80	135	
	32mm	”	229.98	204.91	191	
	<b>Male Tee</b>					
	20mmx1/2"	”	174.78	155.73	145	
	25mmx1/2"	”	171.72	153.00	142	
	25mmx3/4"	”	212.60	189.43	176	
	32mmx1/2"	”	264.73	235.88	219	
	32mmx3/4"	”	270.86	241.34	224	
	32mmx1"	”	483.46	430.77	401	
	<b>Female Tee</b>					
	20mmx1/2"	”	129.81	115.66	108	
	25mmx1/2"	”	147.19	131.14	122	
	25mmx3/4"	”	193.18	172.13	160	
	32mmx1/2"	”	218.73	194.89	181	
	32mmx3/4"	”	241.22	214.93	200	
	32mmx1"	”	389.43	346.99	323	
	<b>Male elbow</b>					
	20mmx1/2"	”	167.63	149.36	139	
	25mmx1/2"	”	172.74	153.91	143	
	25mmx3/4"	”	209.54	186.70	174	
	32mmx1/2"	”	226.91	202.18	188	
	32mmx3/4"	”	247.35	220.39	205	
	32mmx1"	”	478.35	426.22	396	
	<b>Female elbow</b>					
	20mmx1/2"	”	126.74	112.93	105	
	25mmx1/2"	”	178.87	159.38	148	
	25mmx3/4"	”	164.56	146.63	136	
	32mmx1/2"	”	241.22	214.93	200	
	32mmx3/4"	”	275.97	245.90	229	
	32mmx1"	”	339.35	302.36	281	
	<b>Male Coupling</b>					
	20mmx1/2"	”	164.56	146.63	136	
	20mmx3/4"	”	196.25	174.86	163	
	25mmx1/2"	”	157.41	140.25	130	
	25mmx3/4"	”	198.29	176.68	164	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	32mmx1"	"	464.04	413.47	385	
	40mmx1-1/4"	"	661.31	589.24	548	
	50mmx1-1/2"	"	999.64	890.69	828	
	63mmx2"		1449.37	1291.40	1201	
	75mmx2-1/2"	"	397.61	354.27	329	
	<b>Female Coupling</b>					
	20mmx1/2"	"	123.68	110.20	102	
	20mmx3/4"	"	150.25	133.88	125	
	25mmx1/2"	"	137.99	122.95	114	
	25mmx3/4"		154.34	137.52	128	
	32mmx1/2"	"	148.21	132.05	123	
	32mmx3/4"	"	158.43	141.16	131	
	32mmx1"	"	361.83	322.40	300	
	40mmx1-1/4"	"	581.59	518.20	482	
	50mmx1-1/2"	"	755.35	673.02	626	
	63mmx2"		1112.07	990.87	922	
	75mmx2-1/2"	"	2198.59	1958.96	1822	
	<b>Male Union</b>					
	20mmx1/2"	"	295.39	263.20	245	
	25mmx3/4"	"	425.20	378.86	352	
	32mmx1"	"	610.21	543.70	506	
	40mmx1 <sup>1/4</sup> "	"	1178.51	1050.06	977	
	50mmx1/2"	"	1619.04	1442.58	1342	
	63mmx2"	"	3761.42	3351.46	3117	
	<b>Female Union</b>					
	20mmx1/2"	"	287.22	255.91	238	
	25mmx3/4"	"	418.05	372.49	346	
	32mmx1"	"	587.72	523.67	487	
	40mmx1 <sup>1/4</sup> "	"	900.49	802.35	746	
	50mmx1/2"	"	1511.72	1346.96	1253	
	63mmx2"	"	2861.95	2550.02	2372	
	<b>Stop Valve</b>					
	a) 20 mm	"	347.52	309.65	288	
	b) 25 mm	"	459.96	409.83	381	
	c) 32 mm	"	557.06	496.34	462	
	d) 40mm	"	735.93	655.72	610	
	e)50 mm	"	1222.46	1089.22	1013	
	f) 63 mm	"	1763.16	1571.00	1461	
	<b>Male base elbow</b>					
	20mm x 1/2"	"	167.63	149.36	139	
	25mm x 3/4"	"	216.69	193.07	180	
	<b>Female base elbow</b>					
	20mm x 1/2"	"	176.83	157.56	147	
	25mm x 1/2"	"	211.58	188.52	175	
	25mm x 3/4"	"	195.23	173.95	162	
	<b>Metal Ball valve (double)</b>					
	20mmx1/2"	"	793.17	706.72	657	
	25mmx3/4"	"	1070.16	953.53	887	
	32mmx1"	"	1549.54	1380.66	1284	
	40mmx1-1/4"	"	3931.09	3502.64	3257	
	50mmx1-1/2"	"	5534.80	4931.56	4586	
	<b>Metal Ball valve (Single)</b>					
	20mmx1/2"	"	781.92	696.70	648	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	<b>Conceal Valve (Lux)</b>					
	20mm	„	910.71	811.45	755	
	<b>Conceal Valve (Nor)</b>					
	20mm	„	867.78	773.20	719	
	<b>Ball Valve (Plastic)</b>					
	20mm	„	134.92	120.22	112	
	25mm	„	181.94	162.11	151	
	32mm	„	294.37	262.29	244	
	40mm	„	576.48	513.65	478	
	50mm	„	741.04	660.27	614	
	63 mm	„	1316.50	1173.01	1091	
	<b>Ball Valve (Brass)</b>					
	20mm	„	375.12	334.24	311	
	25mm	„	532.53	474.49	441	
	32mm	„	890.27	793.24	738	
	40mm	„	2126.02	1894.30	1762	
<b>21</b>	<b>CPVC Pipes &amp; Fittings for hot and cold water distribution system</b> CPVC means Chlorinated Poly Vinyl Chloride as per ASTM are as per ASTM F 442, CPVC SOLVENT are as per ASTM F-493 2846 (Flowguard : astral, ashivad, ajay, marvel or eqv.					
	<b>CPVC Pipe SDR 13.5 (22.5 Kg/cm2)</b>					
	1/2" dia	Rm	149	127.71	115	
	3/4" dia	„	207	177.94	160	
	1" dia	„	271	233.28	210	
	1-1/4" dia	„	338	290.33	261	
	1-1/2" dia	„	472	406.12	366	
	2" dia	„	722	620.67	559	
	<b>CPVC Pipe SDR 11 (28.1 Kg/cm2)</b>					
	1/2" dia	„	172	148.14	133	
	3/4" dia	„	230	197.52	178	
	1" dia	„	321	275.85	248	
	1-1/4" dia	„	388	333.75	300	
	1-1/2" dia	„	540	464.01	418	
	2" dia	„	875	752.64	677	
	<b>CPVC Pipe SDR 11.0 (Hiltake, Panchakanya, Mangalam flow life or eqv. )</b>					
	1/2" dia	Rm	162	139.64	126	
	3/4" dia	„	217	186.86	168	
	1" dia	„	303	260.44	234	
	1-1/4" dia	„	373	320.72	289	
	1-1/2" dia	„	520	447.05	402	
	2" dia	„	877	754.46	679	
	<b>CPVC Ball Valve (CTS Sockets)</b>					
	1/2"	„	472	406.03	365	
	3/4"	„	628	539.97	486	
	1"	„	759	652.99	588	
	1-1/4"	„	1772	1523.65	1371	
	1-1/2"	„	2122	1825.03	1643	
	2"	„	2735	2352.44	2117	
	<b>CPVC Reducer Brass Coupling</b>	गोटा				
	3/4" X 1/2"	„	178	153.25	138	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	1/2"	„	47	40.02	36	
	3/4"	„	99	85.14	77	
	1"	„	151	130.26	117	
	1-1/4"	„	284	244.35	220	
	1-1/2"	„	414	355.89	320	
	2"	„	887	762.85	687	
	<b>CPVC Reducer Tee</b>	गोटा				
	1/2" x 1/2" x 3/4"	„	91	78.33	70	
	3/4" x 3/4" x 1/2"	„	139	119.20	107	
	3/4" x 1/2" x 3/4"	„	173	149.00	134	
	3/4" x 1/2" x 1/2"	„	198	170.28	153	
	1" x 1" x 3/4"	„	208	178.79	161	
	1-1/2" x 1-1/2" x 1"	„	324	278.41	251	
	2" x 2" x 1"	„	563	484.45	436	
	1-1/4" x 1-1/4" x 1/2"	„	183	157.51	142	
	1-1/4" x 1-1/4" x 1"	„	198	170.28	153	
	2" x 2" x 1/2"	„	553	475.93	428	
	1" x 1" x 1/2"	„	129	110.68	100	
	<b>CPVC Brass FPT Tee</b>	गोटा				
	1/2" x 1/2" x 1/2"	„	155	133.67	120	
	3/4" x 3/4" x 1/2"	„	161	138.78	125	
	1" x 1" x 1/2"	„	179	154.10	139	
	1-1/4" x 1-1/4" x 1-1/4"	„	647	556.82	501	
	1-1/4" x 1-1/4" x 1/2"	„	351	302.25	272	
	<b>CPVC Elbow 90°</b>	गोटा				
	1/2"	„	33	28.10	25	
	3/4"	„	67	57.90	52	
	1"	„	123	105.57	95	
	1-1/4"	„	232	199.23	179	
	1-1/2"	„	346	297.14	267	
	2"	„	740	636.00	572	
	<b>CPVC Reducer Elbow 90°</b>					
	3/4" X 1/2"		68	58.75	53	
	<b>CPVC Brass FPT Elbow 90°</b>	गोटा				
	1/2" x 1/2"	„	108	92.80	84	
	3/4" x 1/2"	„	126	108.13	97	
	3/4" x 3/4"	„	144	123.45	111	
	1" X 1/2"	„	277	238.39	215	
	1" X 1"	„	770	662.39	596	
	1-1/4" x 1-1/4"	„	1000	859.91	774	
	<b>CPVC Elbow 45°</b>	गोटा				
	1/2"	„	39	33.20	30	
	3/4"	„	70	60.45	54	
	1"	„	100	85.99	77	
	1-1/4"	„	176	151.55	136	
	1-1/2"	„	254	218.81	197	
	2"	„	551	474.23	427	
	<b>CPVC Male Adapter (CPVC Threads)</b>	गोटा				

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	1"	„	76	65.56	59	
	1-1/4"	„	137	117.49	106	
	1-1/2"	„	192	165.17	149	
	2"	„	375	322.68	290	
	<b>CPVC Reducing Male Adapter (CPVC Threads)</b>	गोटा				
	3/4" x 1/2"	„	52	45.12	41	
	<b>CPVC Male Adapters (Brass Threads)</b>					
	1/2"	„	266	229.03	206	
	3/4"	„	345	296.29	267	
	1"	„	545	468.27	421	
	1-1/4"	„	1196	1028.49	926	
	1-1/2"	„	1396	1200.47	1080	
	2"	„	2873	2470.76	2224	
	<b>CPVC Reducing Male Adapter (Brass Threads)</b>					
	3/4" x 1/2"	„	296	254.57	229	
	<b>CPVC Female Adapter (CPVC Threads)</b>					
	1/2"		40	34.06	31	
	3/4"		66	57.04	51	
	1"		99	85.14	77	
	<b>CPVC Female Adapters Brass Threads</b>	गोटा				
	1/2"	„	255	219.66	198	
	3/4"	„	347	298.84	269	
	1"	„	451	388.24	349	
	1-1/4"	„	1185	1019.13	917	
	1-1/2"	„	1318	1133.21	1020	
	2"	„	2576	2215.34	1994	
	<b>CPVC Caps</b>					
	1/2"	„	17	14.47	13	
	3/4"	„	32	27.24	25	
	1"	„	48	40.87	37	
	1-1/4"	„	93	80.03	72	
	1-1/2"	„	137	117.49	106	
	2"	„	291	250.31	225	
	<b>CPVC Union</b>					
	1/2"	„	349	300.54	270	
	3/4"	„	514	441.88	398	
	1"	„	609	523.61	471	
	1-1/4"	„	1114	957.83	862	
	1-1/2"	„	1218	1047.22	942	
	2"	„	1747	1502.72	1352	
	<b>CPVC Cross Tee</b>					
	1/2"	„	63	54.49	49	
	3/4"	„	137	117.49	106	
	<b>CPVC Step Over Bend</b>					
	1/2"	„	81	69.81	63	
	3/4"	„	135	115.79	104	
	<b>CPVC Ball Valve (CTS Sockets)</b>					
	1/2"	„	854	734.76	661	
	3/4"	„	1040	894.82	805	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	1-1/4"	„	2427	2087.63	1879	
	1-1/2"	„	3089	2656.37	2391	
	2"	„	3973	3416.67	3075	
	<b>CPVC Flow Guard Adhesive Solution</b>					
	50ML	„	257	221.36	199	
	118ML	„	426	366.10	329	
	237ML	„	688	591.72	533	
	473ML	„	1083	931.43	838	
	946ML	„	1901	1634.69	1471	
	<b>Plastic Strap</b>					
	1/2"	„	6	5.11	5	
	3/4"	„	7	5.96	5	
	1"	„	10	8.51	8	
	1-1/4"	„	15	12.77	11	
	1-1/2"	„	19	16.18	15	
	2"	„	24	20.43	18	
	<b>Metal Strap</b>					
	1/2"	„	17	14.47	13	
	3/4"	„	21	17.88	16	
	1"	„	27	22.99	21	
	1-1/4"	„	32	27.24	25	
	1-1/2"	„	35	29.80	27	
	2"	„	38	32.35	29	
	<b>Tee Holder</b>					
	1/2" X 1/2" X 1/2"	„	7	5.96	5	
	3/4" X 3/4" X 1/2"	„	10	8.51	8	
	<b>Elbow Holder</b>				0	
	1/2" X 1/2"	„	7	5.96	5	
	1/2" X 3/4"	„	9	7.66	7	
	<b>Snap Fix Repair Coupling</b>					
	1/2"	„	296	254.57	229	
	3/4"	„	321	275.85	248	
	<b>End plug threaded 1/2"</b>	„	15	12.77	11	
<b>21</b>	<b>MS SEAMLESS PIPES</b>					
	<b>PIPES: ASTM-A-106 Gr.'B'/SA-106 Gr.'B'/SA-53/API 5L-1( Gr.'B'/IS:1239 (Part</b>					
	<b>MS PIPE SEAMLESS SIZE OD (MM)</b>	„				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	„	457.00	457.00	411	
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	„	548.00	548.00	493	
	33.4 mm OD 1" SCH.40, 3.38mm thickness	„	687.00	687.00	618	
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	„	848.00	848.00	763	
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	„	970.00	970.00	873	
	60.3mm OD 2" SCH.40, 3.91 mm thickness	„	1246.00	1246.00	1121	
	73mm OD 3" SCH.40,5.16 .mm thickness	„	1914.00	1914.00	1723	
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	„	2505.00	2505.00	2255	
	101.6mm OD 4" SCH.40, 5.74 mm thickness	„	3238.00	3238.00	2914	
	114.3mm OD 5" SCH.40, 6.02 mm thickness	„	3567.00	3567.00	3210	
	141.3mm OD 6" SCH.40, 6.557 mm thickness	„	4830.00	4830.00	4347	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
<b>23</b>	<b>ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)</b>					
	Single Socket (R/R)	Mtr	456.00	456.00	410	
	Single Socket (R/R)	,,	847.00	847.00	762	
	Single Socket (R/R)	,,	912.00	912.00	821	
	Single Socket Self Fit	,,	1176.00	1176.00	1058	
	Single Socket Self Fit	,,	1438.00	1438.00	1294	
	Single Socket Self Fit	,,	1976.00	1976.00	1778	
	Single Socket Self Fit	,,	2325.00	2325.00	2093	
	Single Socket Self Fit	,,	3105.00	3105.00	2795	
	Single Socket Self Fit	,,	3701.00	3701.00	3331	
	Long Radius Bend - 45 Degree	Pc	1203.00	1203.00	1083	
	Long Radius Bend - 45 Degree	,,	2197.00	2197.00	1977	
	Long Radius Bend - 45 Degree	,,	3966.00	3966.00	3569	
	Long Radius Bend - 45 Degree	,,	7690.00	7690.00	6921	
	Long Radius Bend - 60 Degree	,,	1326.00	1326.00	1193	
	Long Radius Bend - 60 Degree	,,	2429.00	2429.00	2186	
	Long Radius Bend - 60 Degree	,,	4456.00	4456.00	4010	
	Long Radius Bend - 60 Degree	,,	8437.00	8437.00	7593	
	Long Radius Bend - 90 Degree	,,	650.00	650.00	585	
	Long Radius Bend - 90 Degree	,,	1570.00	1570.00	1413	
	Long Radius Bend - 90 Degree	,,	2896.00	2896.00	2606	
	Long Radius Bend - 90 Degree	,,	5415.00	5415.00	4874	
	Long Radius Bend - 90 Degree	,,	9978.00	9978.00	8980	
	Fab. Coupler	,,	187.00	187.00	168	
	Fab. Coupler	,,	449.00	449.00	404	
	Fab. Coupler	,,	966.00	966.00	869	
	Fab. Coupler	,,	1889.00	1889.00	1700	
	Fab. Coupler	,,	3474.00	3474.00	3127	
	End Cap	,,	400.00	400.00	360	
	End Cap	,,	658.00	658.00	592	
	End Cap	,,	1050.00	1050.00	945	
	End Cap	,,	1533.00	1533.00	1380	
	Equal Tee	,,	11448.00	11448.00	10303	
	Equal Tee	,,	6588.00	6588.00	5929	
	Equal Tee	,,	3657.00	3657.00	3291	
	Gully Trap with grating	,,	1069.00	1069.00	962	
	Rodding Point	,,	633.00	633.00	570	
	Adjustable Bend 7 Degree to 37.5 Degree	,,	676.00	676.00	608	
	Adjustable Bend 7 Degree to 87.5 Degree	,,	927.00	927.00	834	
	Inspection Chamber Body	,,	3333.00	3333.00	3000	
	Inspection Chamber Riser	,,	1656.00	1656.00	1490	
	Inspection Chamber Lid with Cover	,,	3143.00	3143.00	2829	
	Inspection Chamber Body	,,	9204.00	9204.00	8284	
	Inspection Chamber Riser	,,	2927.00	2927.00	2634	
	Inspection Chamber Lid with Cover	,,	4883.00	4883.00	4395	
<b>24</b>	<b>GEBERT</b>					

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	Concealled Cisterns Kombo fix 8cm	„	10114.00	10114.00	9103	
	Dual Flush Actuator Plate Shiny Chrome	„	4051.00	4051.00	3646	
	Concealled Cisterns 12cm	„	10156.00	10156.00	9140	
	Dual Flush Actuator Plate Shiny Chrome	„	4051.00	4051.00	3646	
	Traps for Wash Basins	„	1116.00	1116.00	1004	
	Sensor for Urinal 9V DC	„	28627.00	28627.00	25764	
	Sensor for Urinal 230V AC	„	28627.00	28627.00	25764	
	control box for urinal sensor	„	7864.00	7864.00	7078	
	Sensor Faucet Cold / Mixed water 6V DC	„	35732.00	35732.00	32159	
	Sensor Faucet Cold / Mixed water 230V AC	„	35732.00	35732.00	32159	
<b>22</b>	<b>PVC Lead Free White Pipes SCHEDULE 40</b>					
	"LEAD FREE" PVC PLUMBING SYSTEMS (100% SAFE FOR DRINKING WATER) PVC PIPES are as per ASTM D 1785, PVC FITTINGS are as per ASTM D 2466, PVC BRASS SCH 80 FITTINGS are as per ASTM D 2467, PVC SOLVENT as per ASTM D 2564					
	<b>PVC Lead Free White Pipes SCH 40 (..... Kg/cm2)</b>	m.				
	1/2" dia. (42.19 Kg/cm2)	„	127.00	127.00	114	
	3/4" dia. (33.75 Kg/cm2)	„	163.00	163.00	147	
	1" dia. (31.64 Kg/cm2)	„	251.00	251.00	226	
	1-1/4" dia. (26.01 Kg/cm2)	„	310.00	310.00	279	
	1-1/2" dia. (23.20 Kg/cm2)	„	380.00	380.00	342	
	2" dia. (19.69 Kg/cm2)	„	539.00	539.00	485	
	2-1/2" dia. (21.09 Kg/cm2)	„	753.00	753.00	678	
	3" dia. (18.28 Kg/cm2)	„	951.00	951.00	856	
	4" dia. (15.47 Kg/cm2)	„	1396.00	1396.00	1256	
	6" dia. (12.66 Kg/cm2)	„	2907.00	2907.00	2616	
	<b>PVC Tee - Soc</b>	गोटा			0	
	1/2"	„	35.00	35.00	32	
	3/4"	„	49.00	49.00	44	
	1"	„	77.00	77.00	69	
	1-1/4"	„	121.00	121.00	109	
	1-1/2"	„	159.00	159.00	143	
	2"	„	245.00	245.00	221	
	2-1/2"	„	703.00	703.00	633	
	3"	„	923.00	923.00	831	
	4"	„	1670.00	1670.00	1503	
	6"	„	9262.00	9262.00	8336	
	<b>PVC Reducer Tee - Soc</b>	गोटा				
	3/4 x 1/2	„	70.00	70.00	63	
	1 x 1/2	„	108.00	108.00	97	
	1 x 3/4	„	108.00	108.00	97	
	1-1/2 X 1/2	„	366.00	366.00	329	
	1-1/2 X 3/4	„	366.00	366.00	329	
	1-1/2 X 1	„	366.00	366.00	329	
	1-1/2 X 1-1/4	„	366.00	366.00	329	
	2 X 1/2	„	451.00	451.00	406	
	2 X 3/4	„	451.00	451.00	406	
	2 X 1	„	451.00	451.00	406	
	2 X 1-1/4	„	451.00	451.00	406	

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	2-1/2 X 1/2	„	1159.00	1159.00	1043	
	2-1/2 X 3/4	„	1159.00	1159.00	1043	
	2-1/2 X 1	„	1159.00	1159.00	1043	
	2-1/2 X 1-1/4	„	1159.00	1159.00	1043	
	2-1/2 X 1-1/2	„	1159.00	1159.00	1043	
	2-1/2 X 2	„	1159.00	1159.00	1043	
	3 X 1/2	„	1692.00	1692.00	1523	
	3 X 3/4	„	1692.00	1692.00	1523	
	3 X 1	„	1692.00	1692.00	1523	
	3 X 1-1/4	„	1692.00	1692.00	1523	
	3 X 1-1/2	„	1692.00	1692.00	1523	
	3 X 2	„	1692.00	1692.00	1523	
	3 X 2-1/2	„	1692.00	1692.00	1523	
	6 X 1-1/4	„	8897.00	8897.00	8007	
	6 X 1-1/2	„	8897.00	8897.00	8007	
	6 X 2	„	8897.00	8897.00	8007	
	6 X 2-1/2	„	8897.00	8897.00	8007	
	6 X 3	„	8897.00	8897.00	8007	
	6 X 4	„	8897.00	8897.00	8007	
	<b>PVC Brass Tee - Soc x Fipt SCH 80</b>	गोटा				
	1/2"		179.00	179.00	161	
	3/4"		324.00	324.00	292	
	3/4" X 1/2"		263.00	263.00	237	
	1" X 1/2"		467.00	467.00	420	
	<b>PVC 90° Elbow - Soc</b>	गोटा				
	1/2"	„	29.00	29.00	26	
	3/4"	„	33.00	33.00	30	
	1"	„	59.00	59.00	53	
	1-1/4"	„	103.00	103.00	93	
	1-1/2"	„	121.00	121.00	109	
	2"	„	186.00	186.00	167	
	2-1/2"	„	551.00	551.00	496	
	3"	„	660.00	660.00	594	
	4"	„	1351.00	1351.00	1216	
	6"	„	5690.00	5690.00	5121	
	<b>PVC Brass 90° Elbow Soc x Fipt SCH 80</b>	गोटा				
	1/2"	„	192.00	192.00	173	
	3/4"	„	269.00	269.00	242	
	3/4" X 1/2"	„	278.00	278.00	250	
	<b>PVC 45° Elbow - Soc</b>	गोटा				
	1/2"	„	61.00	61.00	55	
	3/4"	„	95.00	95.00	86	
	1"	„	113.00	113.00	102	
	1-1/4"	„	159.00	159.00	143	
	1-1/2"	„	200.00	200.00	180	
	2"	„	260.00	260.00	234	
	2-1/2"	„	743.00	743.00	669	
	3"	„	1155.00	1155.00	1040	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	<b>PVC Coupling - Soc</b>	गोटा				
	1/2"	„	19.00	19.00	17	
	3/4"	„	29.00	29.00	26	
	1"	„	46.00	46.00	41	
	1-1/4"	„	62.00	62.00	56	
	1-1/2"	„	84.00	84.00	76	
	2"	„	130.00	130.00	117	
	2-1/2"	„	274.00	274.00	247	
	3"	„	429.00	429.00	386	
	4"	„	671.00	671.00	604	
	6"	„	2689.00	2689.00	2420	
	<b>PVC Reducer Coupling - Soc</b>	गोटा				
	3/4 X 1/2	„	47.00	47.00	42	
	1 X 3/4	„	81.00	81.00	73	
	1-1/2 X 1-1/4	„	145.00	145.00	131	
	2 X 1-1/2	„	231.00	231.00	208	
	4 x 2	„	1547.00	1547.00	1392	
	4 X 3	„	1547.00	1547.00	1392	
	6 X 4	„	3217.00	3217.00	2895	
	<b>PVC Reducer Bushing - (Flush Style)</b>	गोटा				
	3/4 X 1/2	„	39.00	39.00	35	
	1 X 1/2	„	55.00	55.00	50	
	1 X 3/4	„	55.00	55.00	50	
	1-1/4 X 1/2	„	95.00	95.00	86	
	1-1/4 X 3/4	„	95.00	95.00	86	
	1-1/4 X 1	„	95.00	95.00	86	
	1-1/2 X 1/2	„	100.00	100.00	90	
	1-1/2 X 3/4	„	100.00	100.00	90	
	1-1/2 X 1	„	100.00	100.00	90	
	1-1/2 X 1-1/4	„	100.00	100.00	90	
	2 X 1/2	„	183.00	183.00	165	
	2 X 3/4	„	183.00	183.00	165	
	2 X 1	„	183.00	183.00	165	
	2 X 1-1/4	„	183.00	183.00	165	
	2 X 1-1/2	„	183.00	183.00	165	
	2-1/2 X 1-1/4	„	258.00	258.00	232	
	2-1/2 X 1-1/2	„	258.00	258.00	232	
	2-1/2 X 2	„	258.00	258.00	232	
	3 X 1-1/2	„	382.00	382.00	344	
	3 X 2	„	382.00	382.00	344	
	3 X 2-1/2	„	382.00	382.00	344	
	4 X 2	„	751.00	751.00	676	
	4 X 3	„	751.00	751.00	676	
	6 X 2	„	2523.00	2523.00	2271	
	6 X 3	„	2523.00	2523.00	2271	
	6 X 4	„	2523.00	2523.00	2271	
	<b>PVC Cap - Soc</b>	गोटा				

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	1"	„	47.00	47.00	42	
	1-1/4"	„	67.00	67.00	60	
	1-1/2"	„	73.00	73.00	66	
	2"	„	88.00	88.00	79	
	2-1/2"	„	282.00	282.00	254	
	3"	„	309.00	309.00	278	
	4"	„	703.00	703.00	633	
	6"	„	2776.00	2776.00	2498	
	<b>PVC Union - Soc With EPDM O-Ring Seal</b>	गोटा				
	1/2"	„	282.00	282.00	254	
	3/4"	„	323.00	323.00	291	
	1"	„	331.00	331.00	298	
	1-1/4"	„	1067.00	1067.00	960	
	1-1/2"	„	1112.00	1112.00	1001	
	2"	„	1500.00	1500.00	1350	
	2-1/2"	„	2099.00	2099.00	1889	
	3"	„	3353.00	3353.00	3018	
	4"	„	4642.00	4642.00	4178	
	<b>PVC Male Adaptor - Soc x MBSP</b>	गोटा				
	1/2"	„	51.00	51.00	46	
	3/4"	„	60.00	60.00	54	
	1"	„	79.00	79.00	71	
	1-1/4"	„	97.00	97.00	87	
	1-1/2"	„	134.00	134.00	121	
	2"	„	173.00	173.00	156	
	2-1/2"	„	606.00	606.00	545	
	3"	„	720.00	720.00	648	
	4"	„	1139.00	1139.00	1025	
	6"	„	2621.00	2621.00	2359	
	<b>PVC Brass Male Adapter - Soc x Mipt SCH 80</b>	गोटा				
	1/2"	„	291.00	291.00	262	
	3/4"	„	389.00	389.00	350	
	1"	„	585.00	585.00	527	
	<b>PVC Female Adaptor - Soc x FBSP</b>	गोटा				
	1/2"	„	66.00	66.00	59	
	3/4"	„	68.00	68.00	61	
	1"	„	71.00	71.00	64	
	1-1/4"	„	185.00	185.00	167	
	1-1/2"	„	272.00	272.00	245	
	2"	„	264.00	264.00	238	
	<b>PVC Brass Female Adapter - Soc x Fipt SCH 80</b>	गोटा				
	1/2"	„	244.00	244.00	220	
	3/4"	„	346.00	346.00	311	
	1"	„	443.00	443.00	399	
	<b>PVC Ball Valve - Soc</b>	गोटा				
	1/2"	„	979.00	979.00	881	
	3/4"	„	1164.00	1164.00	1048	
	1"	„	1629.00	1629.00	1466	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	1-1/2"	„	3363.00	3363.00	3027	
	2"	„	4253.00	4253.00	3828	
	2-1/2"	„	7026.00	7026.00	6323	
	3"	„	11131.00	11131.00	10018	
	4"	„	18395.00	18395.00	16556	
	6"	„	39957.00	39957.00	35961	
	<b>PVC Adhesive Solution (Med. Bonded 705)</b>	गोटा				
	118ML	„	340.00	340.00	306	
	237ML	„	488.00	488.00	439	
	473ML	„	883.00	883.00	795	
	946ML	„	1453.00	1453.00	1308	
	<b>PVC Adhesive Solution (Heavy Bonded 717)</b>	गोटा				
	118ML	„	547.00	547.00	492	
	237ML	„	721.00	721.00	649	
	473ML	„	1264.00	1264.00	1138	
	946ML	„	2188.00	2188.00	1969	
	<b>23 Rainwater Collection System sintex or Prince Brand Roof)</b>					
	<b>140 mm Dia.</b>					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Rm.	177.00	177.00	159	
	JOINT BRACKET To connect two lengths of roof water	Pc.	285.00	285.00	257	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	391.00	391.00	352	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	480.00	480.00	432	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	480.00	480.00	432	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	106.00	106.00	95	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	339.00	339.00	305	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	85.00	85.00	77	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	56.00	56.00	50	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	35.00	35.00	32	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	86.00	86.00	77	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	RUBBER GASKET To provide leak proof joints.	Pc.	33.00	33.00	30	
	<b>75 mm dia.</b>				0	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	70.0	70.0	63	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	42.0	42.0	38	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	140.0	140.0	126	
	<b>180 mm dia.</b>				0	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	335.0	335.0	302	
	JOINT BRACKET To connect two lengths of roof water	Pc.	398.0	398.0	358	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	575.0	575.0	518	
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	658.00	658.00	592	
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	658.00	658.00	592	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	156.00	156.00	140	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	471.00	471.00	424	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	120.00	120.00	108	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	101.00	101.00	91	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	57.00	57.00	51	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	122.00	122.00	110	
	RUBBER GASKET To provide leak proof joints.	Pc.	45.00	45.00	41	
	<b>110 mm dia.</b>					
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	76.00	76.00	68	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	49.00	49.00	44	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	270.00	270.00	243	
	<b>250 mm dia.</b>					
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	Pc.	650.00	650.00	585	
	JOINT BRACKET To connect two lengths of roof water	Pc.	682.00	682.00	614	
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	Pc.	1072.00	1072.00	965	
	90°ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	Pc.	1541.00	1541.00	1387	
	90°ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	Pc.	1541.00	1541.00	1387	
	SHORT STOP END To close the end of roof water pipe line.	Pc.	335.0	335.0	302	
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	Pc.	891.00	891.00	802	
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	Pc.	333.00	333.00	300	
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	Pc.	182.00	182.00	164	
	CLAMP To ensure perfect fixing between pipe and fittings.	Pc.	135.00	135.00	122	
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	Pc.	353.00	353.00	318	
	RUBBER GASKET To provide leak proof joints.	Pc.	184.00	184.00	166	
	<b>160 mm dia.</b>				0	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	Pc.	91.00	91.00	82	
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	Pc.	212.0	212.0	191	
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	Pc.	486.00	486.00	437	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	<b>ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY</b>					
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	per mtr.	274	274	247	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	486	486	438	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	292	292	262	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	523	523	470	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	"	497	497	447	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	"	748	748	673	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	526	526	473	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	"	773	773	696	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	"	1066	1066	959	
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1329	1329	1196	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	"	1135	1135	1022	
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	"	1500	1500	1350	
	<b>ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY</b>					
	DWV Bend 45 Degree <b>75 mm size</b>	pcs	155	155	140	
	DWV Bend 87.5 Degree	"	197	197	177	
	DWV Bend 87.5 Degree with Door	"	90	90	81	
	DWV Socket Plug	"	210	210	189	
	DWV Cleansing Pipe	"	127	127	114	
	DWV Coupler	"	224	224	202	
	DWV Single Tee	"	246	246	222	
	DWV Single Tee with Door	"	388	388	349	
	DWV Cross Tee	"	546	546	491	
	DWV Cross Tee with Door	"	402	402	361	
	DWV Double 'Y'	"	535	535	481	
	DWV Double 'Y' with Door	"	251	251	226	
	DWV Single 'Y'	"	320	320	288	
	DWV Single 'Y' with Door	"	13	13	12	
	DWV Pipe Clip	"	28	28	25	
	DWV Vent Cowel	"	255	255	230	
	DWV Bend 45 Degree <b>110mm size</b>	"	314	314	282	
	DWV Bend 87.5 Degree	"	359	359	323	
	DWV Bend 87.5 Degree with Door	"	114	114	103	
	DWV Socket Plug	"	411	411	370	
	DWV Cleansing Pipe	"	229	229	206	
	DWV Coupler	"	760	760	684	
	DWV Double 'Y'	"	898	898	808	
	DWV Double 'Y' with Door	"	629	629	566	
	DWV Cross Tee	"	713	713	642	
	DWV Cross Tee with Door	"	411	411	370	
	DWV Single Tee	"	485	485	437	
	DWV Single Tee with Door	"	504	504	453	
	DWV Single 'Y'	"	528	528	475	
	DWV Single 'Y' with Door	"	52	52	47	
	DWV Vent Cowel	"	179	179	161	
	DWV Reducer <b>110*75 mm</b>	"	40	40	36	
	DWV Pipe Clip <b>110mm size</b>	"	484	484	436	
	DWV W.C. Connectore (Straight type)	"	387	387	348	
	DWV W.C. Connectore (Bend type)	"	194	194	174	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	DWV P-Trap with Leap Ring 25*110 mm	"	257	257	232	
	DWV Multi Floor Trap 4" w/o Jali 75 mm	"	523	523	470	
	DWV Reducer 60*110 mm	"	499	499	449	
	DWV Coupler 160mm size	"	1197	1197	1077	
	DWV Single Tee	"	1286	1286	1157	
	DWV Single Tee with Door	"	2240	2240	2016	
	DWV Single 'Y'	"	2353	2353	2118	
	DWV Single 'Y' with Door	"	824	824	742	
	DWV Bend 87.5 Degree	"	1098	1098	988	
	DWV Bend 87.5 Degree with Door	"	960	960	864	
	DWV Bend 45 Degree	"				
	<b>FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR</b>					
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	per mtr.	649	649	584	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	"	673	673	606	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	"	700	700	630	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	"	659	659	593	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	"	671	671	604	
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	"	1198	1198	1078	
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	"	1244	1244	1120	
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	"	1293	1293	1163	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1218	1218	1096	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1240	1240	1116	
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	"	1876	1876	1688	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	1909	1909	1718	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	1940	1940	1746	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	3112	3112	2801	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	3166	3166	2849	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	3221	3221	2899	
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	"	4121	4121	3709	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	"	4192	4192	3773	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	"	4265	4265	3838	
	FOAMCORE Plain Both End (3mtrs length) SN-4	"	5092	5092	4583	
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	"	5181	5181	4663	
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	"	5270	5270	4743	
	FOAMCORE Plain Both End (6mtrs length) SN-8	"	648	648	583	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	"	664	664	598	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	"	681	681	613	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	"	660	660	594	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	"	672	672	605	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1197	1197	1077	
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	"	1232	1232	1109	
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	"	1266	1266	1139	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1219	1219	1097	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1240	1240	1116	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	1876	1876	1688	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	1909	1909	1718	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	1942	1942	1747	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	3112	3112	2801	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	3166	3166	2849	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	3220	3220	2898	
	FOAMCORE Plain Both End (6mtrs length) SN-2	"	4121	4121	3709	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	FOAMCORE Plain Both End (6mtrs length) SN-4	"	5092	5092	4583	
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	"	5181	5181	4663	
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	"	5270	5270	4743	
	<b>ASTRAL FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR</b>					
	DWV Coupler SN-8 110mm	per pc	327	327	294	
	DWV Coupler SN-4 160 mm	"	787	787	708	
	DWV Coupler SN-4 200 mm	"	1608	1608	1447	
	DWV Coupler SN-4 250 mm	"	2996	2996	2697	
	DWV Coupler SN-2 315mm	"	4820	4820	4338	
	DWV Coupler SN-4 315 mm	"	5263	5263	4736	
	DWV Long Radius Bend - 90 Degree SN-8 110mm	"	1112	1112	1001	
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	"	3096	3096	2787	
	DWV Long Radius Bend - 90 Degree SN-4 200mm	"	5783	5783	5205	
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	"	12964	12964	11668	
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	"	30783	30783	27705	
<b>24</b>	<b>Multilayer Composite Pipe (Sanghai, or eqv.)</b>					
	<b>Cold Water Pipe (White)</b>					
	12-16 mm 1/2"	Rm	112	112	101	
	14-18 mm 1/2"	"	123	123	111	
	16-20 mm 1/2"	"	132	132	119	
	20-25 mm 3/4"	"	200	200	180	
	26-32 mm 1"	"	312	312	281	
	32-40 mm 1 1/4"	"	495	495	446	
	41-50 mm 1 1/2"	"	726	726	653	
	<b>Hot Water Pipe (Orange)</b>					
	12-16 mm 1/2"	Rm	123	123	111	
	14-18 mm 1/2"	"	136	136	123	
	16-20 mm 1/2"	"	156	156	141	
	20-25 mm 3/4"	"	231	231	208	
	26-32 mm 1"	"	336	336	302	
	32-40 mm 1 1/4"	"	517	517	465	
	<b>Gas Lines Pipe (Yellow)</b>					
	12-16 mm 1/2"	Rm	97	97	87	
	14-18 mm 1/2"	"	97	97	87	
	<b>MULTILAYER COMPOSITE Fittings</b>					
	<b>a. Equal Straight Union</b>					
	1/2" ø (16mm ø)	गोटा	148.00	148.00	133	
	1/2" ø (18mm ø)	"	156.00	156.00	140	
	1/2" ø (20mm ø)	"	171.00	171.00	154	
	3/4" ø (25 mm ø)	"	250.00	250.00	225	
	1" ø (32 mm ø)	"	390.00	390.00	351	
	1 1/4" ø (40 mm ø)	"	1440.00	1440.00	1296	
	1 1/2" ø (50 mm ø)	"	2175.00	2175.00	1958	
	<b>b. Unequal Straight Union</b>					
	25 - 16 mm ø	"	280.00	280.00	252	
	25 - 18 mm ø	"	290.00	290.00	261	
	25 - 20 mm ø	"	305.00	305.00	275	
	32 - 16 mm ø	"	375.00	375.00	338	
	32 - 18 mm ø	"	395.00	395.00	356	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	40 - 32 mm $\phi$	"	1245.00	1245.00	1121	
	50 - 20 mm $\phi$	"	1815.00	1815.00	1634	
	50 - 32 mm $\phi$	"	2175.00	2175.00	1958	
	50 - 40 mm $\phi$	"	2050.00	2050.00	1845	
	<b>c. Male Union</b>					
	16mm x 1/2"M	गोटा	105.00	105.00	95	
	18mm x 1/2"M	"	122.00	122.00	110	
	20mm x 1/2"M	"	140.00	140.00	126	
	25mm x 1/2"M	"	170.00	170.00	153	
	25mm x 3/4"M	"	215.00	215.00	194	
	25mm x 1"M	"	275.00	275.00	248	
	32mm x 3/4"M	"	315.00	315.00	284	
	32mm x 1"M	"	345.00	345.00	311	
	32mm x 1 1/2"M	"	350.00	350.00	315	
	40mm x 1"M	"	1105.00	1105.00	995	
	40mm x 1 1/2"M	"	1144.00	1144.00	1030	
	50mm x 1"M	"	1737.00	1737.00	1563	
	50mm x 1 1/4"M	"	1767.00	1767.00	1590	
	50mm x 1 1/2"M	"	2400.00	2400.00	2160	
	50mm x 2"M	"	1803.00	1803.00	1623	
	<b>d. Female Straight Union</b>					
	16mm x 1/2"F	गोटा	115.00	115.00	104	
	18mm x 1/2"F	"	125.00	125.00	113	
	20mm x 1/2"F	"	136.00	136.00	122	
	25mm x 1/2"F	"	180.00	180.00	162	
	25mm x 3/4"F	"	215.00	215.00	194	
	25mm x 1"F	"	220.00	220.00	198	
	32mm x 1/2"F	"	225.00	225.00	203	
	32mm x 3/4"F	"	230.00	230.00	207	
	32mm x 1"F	"	325.00	325.00	293	
	40mm x 1 1/2"F	"	1298.00	1298.00	1168	
	50mm x 1 1/4"F	"	1750.00	1750.00	1575	
	50mm x 1 1/2"F	"	2400.00	2400.00	2160	
	50mm x 2"F	"	1820.00	1820.00	1638	
	<b>e. Equal Elbow</b>					
	1/2" $\phi$ (16mm $\phi$ )	गोटा	140.00	140.00	126	
	1/2" $\phi$ (18mm $\phi$ )	"	170.00	170.00	153	
	1/2" $\phi$ (20mm $\phi$ )	"	230.00	230.00	207	
	3/4" $\phi$ (25 mm $\phi$ )	"	350.00	350.00	315	
	1" $\phi$ (32 mm $\phi$ )	"	565.00	565.00	509	
	1 1/4" $\phi$ (40 mm $\phi$ )	"	1840.00	1840.00	1656	
	1 1/2" $\phi$ (50 mm $\phi$ )	"	2850.00	2850.00	2565	
	<b>f. Unequal Elbow</b>					
	40 - 32 mm $\phi$	"	2040.00	2040.00	1836	
	50 - 20 mm $\phi$	"	2350.00	2350.00	2115	
	50 - 40 mm $\phi$	"	2395.00	2395.00	2156	
	<b>g. Female Elbow</b>					
	16mm x 1/2"F	गोटा	185.00	185.00	167	
	18mm x 1/2"F	"	205.00	205.00	185	
	20mm x 1/2"F	"	225.00	225.00	203	
	25mm x 1/2"F	"	250.00	250.00	225	
	25mm x 3/4"F	"	310.00	310.00	279	
	25mm x 1"F	"	340.00	340.00	306	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	50mm x 1¼"F	"	2350.00	2350.00	2115	
	<b>h. Male Elbow</b>					
	25mm x ¾"M	"	250.00	250.00	225	
	25mm x 1"M	"	325.00	325.00	293	
	32mm x ¾"M	"	246.00	246.00	221	
	32mm x 1"M	"	415.00	415.00	374	
	40mm x 1"M	"	1350.00	1350.00	1215	
	50mm x 1"M	"	1924.00	1924.00	1732	
	<b>i. Equal Tee</b>					
	½"ø (16mm ø)	गोटा	250.00	250.00	225	
	½"ø (18mm ø)	"	280.00	280.00	252	
	½"ø (20mm ø)	"	350.00	350.00	315	
	¾" ø (25 mm ø)	"	505.00	505.00	455	
	1" ø (32 mm ø)	"	790.00	790.00	711	
	1¼" ø (40 mm ø)	"	2953.00	2953.00	2658	
	1½" ø (50 mm ø)	"	4315.00	4315.00	3884	
	<b>j. Unequal Tee</b>					
	20 mm x 16 mm x 20 mm	"	225.00	225.00	203	
	20 mm x 18 mm x 20 mm	"	250.00	250.00	225	
	25 mm x 16 mm x 25 mm	"	375.00	375.00	338	
	25 mm x 18 mm x 25 mm	"	425.00	425.00	383	
	25 mm x 20 mm x 25 mm	"	440.00	440.00	396	
	32 mm x 16 mm x 32 mm	"	725.00	725.00	653	
	32 mm x 18 mm x 32 mm	"	750.00	750.00	675	
	32 mm x 20 mm x 32 mm	"	780.00	780.00	702	
	32 mm x 25 mm x 32 mm	"	800.00	800.00	720	
	40 mm x 32 mm x 32 mm	"	2185.00	2185.00	1967	
	40 mm x 32 mm x 40 mm	"	2531.00	2531.00	2278	
	50 mm x 20 mm x 50 mm	"	3450.00	3450.00	3105	
	50 mm x 32 mm x 32 mm	"	2274.00	2274.00	2047	
	50 mm x 32 mm x 50 mm	"	3485.00	3485.00	3137	
	50 mm x 40 mm x 40 mm	"	3497.00	3497.00	3147	
	50 mm x 40 mm x 50 mm	"	3994.00	3994.00	3595	
	<b>k. Female Tee</b>					
	16mm x ½"F x 16mm	गोटा	250.00	250.00	225	
	18mm x ½"F x 18mm	"	260.00	260.00	234	
	20mm x ½"F x 20mm	"	280.00	280.00	252	
	25mm x ½"F x 25mm	"	263.00	263.00	237	
	25mm x ¾"F x 25mm	"	290.00	290.00	261	
	25mm x 1"F x 25mm	"	376.00	376.00	338	
	32mm x ½"F x 32mm	"	405.00	405.00	365	
	32mm x ¾"F x 32mm	"	415.00	415.00	374	
	32mm x 1"F x 32mm	"	563.00	563.00	507	
	40mm x ¾"F x 32mm	"	1662.00	1662.00	1496	
	50mm x ¾"F x 40mm	"	2466.00	2466.00	2219	
	<b>l. Equal Ball Valve Union</b>					
	½"ø (16mm ø)	गोटा	291.00	291.00	262	
	½"ø (18mm ø)	"	323.00	323.00	291	
	½"ø (20mm ø)	"	425.00	425.00	383	
	¾" ø (25 mm ø)	"	705.00	705.00	635	
	1" ø (32 mm ø)	"	980.00	980.00	882	
	1¼" ø (40 mm ø)	"	3202.00	3202.00	2882	
	1½" ø (50 mm ø)	"	4621.00	4621.00	4159	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	18mm x 1/2"F	"	311.00	311.00	280	
	20mm x 1/2"F	"	348.00	348.00	313	
	20mm x 3/4"F	"	390.00	390.00	351	
	25mm x 3/4"F	"	725.00	725.00	653	
	25mm x 1"F	"	740.00	740.00	666	
	32mm x 1"F	"	780.00	780.00	702	
	<b>n. Plug</b>					
	1 1/4" ø (40 mm ø)	"	1600.00	1600.00	1440	
	1 1/2" ø (50 mm ø)	"	2200.00	2200.00	1980	
	<b>p. Wall Plated Female Elbow</b>					
	16mm x 1/2"F	गोटा	210.00	210.00	189	
	18mm x 1/2"F	"	230.00	230.00	207	
	20mm x 1/2"F	"	250.00	250.00	225	
	<b>q. Nipple</b>					
	N 1/2F*1/2F	गोटा	54.00	54.00	49	
	N 1/2M*1/2M	"	54.00	54.00	49	
	N 3/4F*1/2F	"	75.00	75.00	68	
	N 1F*1/2F	"	86.00	86.00	77	
	N 1F*3/4F	"	97.00	97.00	87	
	N 3/4M*1/2M	"	75.00	75.00	68	
	N 1M*1/2M	"	86.00	86.00	77	
	N 1M*3/4M	"	97.00	97.00	87	
	N 1/2F*1/2M	"	65.00	65.00	59	
	N 1/2F*3/4M	"	75.00	75.00	68	
	N 1/2F*1M	"	119.00	119.00	107	
	N 1/2M*3/4F	"	75.00	75.00	68	
	N 1/2M*1F	"	124.00	124.00	112	
	N 3/4F*3/4M	"	97.00	97.00	87	
	N 3/4F*1M	"	107.00	107.00	96	
	N 3/4M*1F	"	141.00	141.00	127	
<b>25</b>	<b>Supplying laying &amp; jointing of Nepal Plastic ( Blue colour slotted )Pvc pipe for different size of Ordinary Boring work by manually</b>					
	<b>a.1)</b> 1.5" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	540	540	486	
	<b>a.2)</b> Failure chagre per well	संख्या	1500.00	1500.00	1350	
	<b>b.1)</b> 2" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	770.00	770.00	693	
	<b>b.2)</b> Failure chagre per well	संख्या	4000.00	4000.00	3600	
	<b>c.1)</b> 3" Pvc pipe ordinary Boring with necessary materials etc. upto 150'	र.मि	1470.00	1470.00	1323	
	<b>c.2)</b> Failure chagre per well	संख्या	5200.00	5200.00	4680	
	<b>d.1)</b> 4" Pvc pipe ordinary Boring with necessary materials etc.	र.मि	2080.00	2080.00	1872	
	<b>d.2)</b> Failure chagre per well	संख्या	6000.00	6000.00	5400	
	Submercible pump installation fixing position with GI touching wire all complete work	संख्या	1750.00	1750.00	1575	
<b>26</b>	<b>R.C.C. Hume Pipe &amp; Hume Pipe Collar</b>					
	<b>PIPES</b>					
	<b>a) NP-2</b>					
	150 mm dia.	र.मि	457	457	503	
	200 mm dia.	"	594	594	653	
	250 mm dia.	"	744	744	818	
	300 mm dia.	"	1008	1008	1109	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	400 mm dia.	”	1402	1402	1542	
	450 mm dia.	”	1485	1485	1633	
	500 mm dia.	”	1666	1666	1832	
	600 mm dia.	”	2198	2198	2418	
	700 mm dia.	”	2868	2868	3155	
	750 mm dia.	”	3100	3100	3410	
	800 mm dia.	”	3461	3461	3807	
	900 mm dia.	”	4676	4676	5144	
	1000 mm dia.	”	5456	5456	6002	
	1200 mm dia.	”	6655	6655	7320	
	1500 mm dia.	”	13990	13990	15389	
	<b>b) NP-3</b>					
	150 mm dia.	र.मि	1020	1020	1122	
	200 mm dia.	”	1359	1359	1495	
	250 mm dia.	”	1699	1699	1869	
	300 mm dia.	”	2442	2442	2686	
	350 mm dia.	”	2740	2740	3014	
	375 mm dia.	”	2929	2929	3222	
	400 mm dia.	”	3121	3121	3433	
	450 mm dia.	”	3503	3503	3853	
	500 mm dia.	”	3906	3906	4296	
	600 mm dia.	”	4826	4826	5309	
	700 mm dia.	”	5827	5827	6410	
	750 mm dia.	”	6693	6693	7362	
	800 mm dia.	”	7304	7304	8034	
	900 mm dia.	”	9474	9474	10421	
	1000 mm dia.	”	10527	10527	11580	
	1200 mm dia.	”	12530	12530	13783	
	1500 mm dia.	”	19688	19688	21657	
	<b>R.C.C. Hume Pipe Collar</b>					
	<b>a) NP-2</b>					
	150 mm dia.	गोटा	114	114	126	
	200 mm dia.	”	150	150	165	
	250 mm dia.	”	186	186	204	
	300 mm dia.	”	252	252	277	
	350 mm dia.	”	278	278	306	
	375 mm dia.	”	305	305	336	
	400 mm dia.	”	351	351	386	
	450 mm dia.	”	371	371	408	
	500 mm dia.	”	417	417	459	
	600 mm dia.	”	550	550	605	
	700 mm dia.	”	717	717	788	
	750 mm dia.	”	775	775	853	
	800 mm dia.	”	865	865	951	
	900 mm dia.	”	1169	1169	1286	
	1000 mm dia.	”	1364	1364	1500	
	1200 mm dia.	”	1664	1664	1830	
	1500 mm dia.	”	3497	3497	3847	
	<b>b) NP-3</b>					
	150 mm dia.	”	255	255	280	
	200 mm dia.	”	340	340	374	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	350 mm dia.		685	685	753	
	375 mm dia.		732	732	805	
	400 mm dia.	„	780	780	858	
	450 mm dia.	„	876	876	964	
	500 mm dia.	„	977	977	1075	
	600 mm dia.	„	1207	1207	1328	
	700 mm dia.	„	1457	1457	1602	
	750 mm dia.	„	1673	1673	1840	
	800 mm dia.	„	1826	1826	2008	
	900 mm dia.	„	2368	2368	2605	
	1000 mm dia.	„	2632	2632	2895	
	1200 mm dia.	„	3132	3132	3445	
	1500 mm dia.	„	4922	4922	5414	
	<b>R.C.C.Spigot Pipes (Socket System)</b>					
	<b>a) NP-2</b>					
	150 mm dia.	र.मि	527.79	527.79	-	
	200 mm dia.	„	672.57	672.57	-	
	250 mm dia.	„	841.06	841.06	-	
	300 mm dia.	„	1140.88	1140.88	-	
	350 mm dia.	„	1382.30	1382.30	-	
	400 mm dia.	„	1584.07	1584.07	-	
	450 mm dia.	„	1679.65	1679.65	-	
	500 mm dia.	„	1884.25	1884.25	-	
	600 mm dia.	„	2485.31	2485.31	-	
	700 mm dia.	„	3243.19	3243.19	-	
	750 mm dia.	„	3505.49	3505.49	-	
	800 mm dia.	„	3914.69	3914.69	-	
	900 mm dia.	„	5054.51	5054.51	-	
	1000 mm dia.	„	5840.71	5840.71	-	
	1200 mm dia.	„	7075.40	7075.40	-	
	<b>b) NP-3</b>					
	150 mm dia.	र.मि	1152.57	1152.57	1268	
	200 mm dia.	„	1536.99	1536.99	1720	
	250 mm dia.	„	1921.06	1921.06	2149	
	300 mm dia.	„	2762.12	2762.12	3088	
	350 mm dia.	„	3099.12	3099.12	-	
	400 mm dia.	„	3530.62	3530.62	3949	
	450 mm dia.	„	3962.12	3962.12	4433	
	500 mm dia.	„	4413.10	4413.10	4941	
	600 mm dia.	„	5456.99	5456.99	6105	
	700 mm dia.	„	6589.73	6589.73	7372	
	800 mm dia.	„	8259.82	8259.82	9240	
	900 mm dia.	„	10713.27	10713.27	11986	
	1000 mm dia.	„	11903.36	11903.36	13317	
	1200 mm dia.	„	14017.70	14017.70	15851	
	1500 mm dia.	„	22159.29	22159.29	25483	
	1600 mm dia.	„	25559.29	25559.29	29393	
	1800 mm dia.	„	-	-	39149	
<b>27</b>	<b>High Density Polythene Pipe NS-40</b>					
	Pipes of different sizes, series & pressure					
	<b>HDP Pipe</b>	Kg		<b>250.0</b>	<b>214.0</b>	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	75 mm (0.557 Avg.wt Kg/m)	„	123.65	139	119	
	90 mm (0.799 Avg.wt Kg/m)	„	177.38	200	171	
	110 mm (1.185 Avg.wt Kg/m)	„	263.07	296	254	
	125 mm (1.530 Avg.wt Kg/m)	„	339.66	382	327	
	140 mm (1.897 Avg.wt Kg/m)	„	421.13	474	406	
	160 mm (2.453 Avg.wt Kg/m)	„	544.57	613	525	
	180 mm (3.148 Avg.wt Kg/m)	„	698.86	787	674	
	200 mm (3.875 Avg.wt Kg/m)	„	860.25	969	829	
	225 mm (4.822 Avg.wt Kg/m)	„	1070.48	1205	1032	
	250 mm (6.012 Avg.wt Kg/m)	„	1334.66	1503	1287	
	280 mm (7.471 Avg.wt Kg/m)	„	1658.56	1868	1599	
	315 mm (9.417 Avg.wt Kg/m)	„	2090.57	2354	2015	
	355 mm ( 11.957 Avg.wt Kg/m)	„	2654.45	2989	2559	
	400 mm (15.221 Avg.wt Kg/m)		3379.06	3805	3257	
	450 mm (19.163 Avg.wt Kg/m)		4254.19	4791	4101	
27.2	<b>4 Kg/cm<sup>2</sup> Series III</b>					
	40 mm (0.251 Avg.wt Kg/m)	Rm	55.72	63	54	
	50 mm (0.378 Avg.wt Kg/m)	„	83.92	94	81	
	63 mm (0.585 Avg.wt Kg/m)	„	129.87	146	125	
	75 mm (0.846 Avg.wt Kg/m)	„	187.81	211	181	
	90 mm (1.220 Avg.wt Kg/m)	„	270.84	305	261	
	110 mm (1.703 Avg.wt Kg/m)	„	378.07	426	364	
	125 mm (2.289 Avg.wt Kg/m)	„	508.16	572	490	
	140 mm (2.901 Avg.wt Kg/m)	„	644.02	725	621	
	160 mm (3.773 Avg.wt Kg/m)	„	837.61	943	807	
	180 mm (4.762 Avg.wt Kg/m)	„	1057.16	1190	1019	
	200 mm (5.890 Avg.wt Kg/m)	„	1307.58	1472	1260	
	225 mm (7.445 Avg.wt Kg/m)	„	1652.79	1861	1593	
	250 mm (9.187 Avg.wt Kg/m)	„	2039.51	2297	1966	
	280 mm (11.455 Avg.wt Kg/m)	„	2543.01	2864	2451	
	315 mm (14.508 Avg.wt Kg/m)	„	3220.78	3627	3105	
	355 mm ( 18.382 Avg.wt Kg/m)	„	4080.80	4595	3934	
	400 mm ( 23.343 Avg.wt Kg/m)	„	5182.15	5836	4995	
	450mm ( 29.351Avg.wt Kg/m)	„	6515.92	7338	6281	
27.3	<b>6 Kg/cm<sup>2</sup> Series IV</b>					
	32 mm (0.226 Avg.wt Kg/m)	Rm	50.17	56	48	
	40 mm (0.350 Avg.wt Kg/m)	„	77.70	87	75	
	50 mm (0.542 Avg.wt Kg/m)	„	120.32	135	116	
	63 mm (0.850 Avg.wt Kg/m)	„	188.70	212	182	
	75 mm (1.191 Avg.wt Kg/m)	„	264.40	298	255	
	90 mm (1.717 Avg.wt Kg/m)	„	381.17	429	367	
	110 mm (2.545 Avg.wt Kg/m)	„	564.99	636	545	
	125 mm (3.293 Avg.wt Kg/m)	„	731.05	823	705	
	140 mm (4.150 Avg.wt Kg/m)	„	921.30	1037	888	
	160 mm (5.355 Avg.wt Kg/m)	„	1188.81	1339	1146	
	180 mm (6.800 Avg.wt Kg/m)	„	1509.60	1700	1455	
	200 mm (8.391 Avg.wt Kg/m)	„	1862.80	2098	1796	
	225 mm (10.544 Avg.wt Kg/m)	„	2340.77	2636	2256	
	250 mm (13.041 Avg.wt Kg/m)	„	2895.10	3260	2791	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	355 mm ( 26.243 Avg.wt Kg/m)	„	5825.95	6561	5616	
	400 mm ( 33.309 Avg.wt Kg/m)		7394.60	8327	7128	
	450 mm ( 42.065 Avg.wt Kg/m)		9338.43	10516	9002	
27.4	<b>10 Kg/cm<sup>2</sup> Series VI</b>					
	16 mm (0.092 Avg.wt Kg/m)	Rm	20.42	23	20	
	20 mm (0.134 Avg.wt Kg/m)	„	29.75	33	29	
	25 mm (0.202 Avg.wt Kg/m)	„	44.84	50	43	
	32 mm (0.334 Avg.wt Kg/m)	„	74.15	83	71	
	40 mm (0.514 Avg.wt Kg/m)	„	114.11	128	110	
	50 mm (0.796 Avg.wt Kg/m)	„	176.71	199	170	
	63 mm (1.269 Avg.wt Kg/m)	„	281.72	317	272	
	75 mm (1.782 Avg.wt Kg/m)	„	395.60	445	381	
	90 mm (2.568 Avg.wt Kg/m)	„	570.10	642	550	
	110 mm (3.801 Avg.wt Kg/m)	„	843.82	950	813	
	125 mm (4.962 Avg.wt Kg/m)	„	1101.56	1240	1062	
	140 mm (6.209 Avg.wt Kg/m)	„	1378.40	1552	1329	
	160 mm (8.079 Avg.wt Kg/m)	„	1793.54	2020	1729	
	180 mm (10.256 Avg.wt Kg/m)	„	2276.83	2564	2195	
	200 mm (12.620 Avg.wt Kg/m)	„	2801.64	3155	2701	
	225 mm (16.014 Avg.wt Kg/m)	„	3555.11	4003	3427	
	250 mm (19.757 Avg.wt Kg/m)	„	4386.05	4939	4228	
	280 mm (24.708 Avg.wt Kg/m)	„	5485.18	6177	5288	
	315 mm (31.16 Avg.wt Kg/m)	„	6917.52	7790	6668	
	355 mm ( 39.635 Avg.wt Kg/m)	„	8798.97	9909	8482	
	400 mm ( 50.344 Avg.wt Kg/m)	„	11176.37	12586	10774	
	450 mm ( 63.598 Avg.wt Kg/m)	„	14118.76	15899	13610	
28	<b>UPVC (Pipe NS 206/046</b>					
28.1	<b>A) pipe 2.5 kg /cm<sup>2</sup> pressure</b>					
	a) 90 mm	र.मी	156.34	172	141	
	b) 110 mm	"	232.36	256	209	
	c) 125 mm	"	295.54	325	266	
	d) 140 mm	"	366.21	403	328	
	e) 160 mm	"	478.65	527	429	
	f) 180 mm	"	613.57	675	549	
	g) 200 mm	"	748.49	823	671	
28.2	<b>B) PVC Pipe 4 kg / cm<sup>2</sup></b>					
	a) 63mm	र.मी	124.21	137	112	
	b) 75 mm	"	175.61	193	154	
	c) 90 mm	"	244.14	269	219	
	d) 110 mm	"	353.36	389	301	
	e) 125 mm	"	463.65	510	415	
	f) 140 mm	"	587.87	647	527	
	g) 160 mm	"	761.34	837	683	
	h) 180 mm	"	978.71	1077	877	
	i) 200 mm	"	1187.51	1306	1064	
28.3	<b>C) PVC Pipe 6 Kg/ cm<sup>2</sup> pressure</b>					
	a) 40 mm	र.मी	72.81	80	66	
	b) 50 mm	"	109.22	120	99	
	c) 63 mm	"	176.68	194	159	
	d) 75 mm	"	246.28	271	222	
	e) 90 mm	"	356.58	389	301	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	h) 140 mm	"	855.57	941	766	
	i) 160 mm	"	1095.42	1205	982	
	j) 180 mm	र.मी	1397.39	1537	1252	
	k) 200 mm	"	1712.20	1883	1534	
<b>28.4</b>	<b>C) PVC Pipe 10 Kg/ cm<sup>2</sup> pressure</b>					
	a) 20 mm	र.मी	27.84	31	25	
	b) 25 mm	"	43.90	48	40	
	c) 32mm	"	71.74	79	65	
	a) 40 mm	"	109.22	120	98	
	b) 50 mm	"	172.40	190	155	
	c) 63 mm	"	274.12	302	246	
	d) 75 mm	"	391.91	431	351	
	e) 90 mm	"	558.96	615	501	
	f) 110 mm	"	827.73	910	742	
	g) 125 mm	"	1060.09	1166	950	
	h) 140 mm	"	1338.50	1472	1199	
	i) 160 mm	"	1721.84	1894	1542	
	j) 180 mm	"	2195.13	2415	1966	
	k) 200 mm	"	2713.40	2985	2431	
<b>28.5</b>	<b>UPVC fittings :</b>					
	<b>Coupler</b>					
	50 mm	गोटा	33	36	31	
	75 mm	"	84	92	75	
	110 mm	"	129	142	128	
	<b>Bend 87.5 degree</b>					
	50 mm	गोटा	49	54	46	
	75 mm	"	117	128	108	
	110 mm	"	196	215	200	
	<b>Bend 45 degree</b>					
	50 mm	गोटा	48	52	45	
	75 mm	"	93	103	88	
	110 mm	"	162	178	158	
	<b>Single Tee</b>					
	50 mm	गोटा	71	78	68	
	75 mm	"	153	168	147	
	110 mm	"	270	297	279	
	<b>Pipe clip</b>					
	50 mm	गोटा	18	20	14	
	75 mm	"	24	27	28	
	110 mm	"	34	37	37	
	<b>Bend 87.5 degree with door</b>					
	75 mm	गोटा	150	165	139	
	110 mm	"	239	263	242	
	<b>Single Tee with door</b>					
	75 mm	गोटा	183	201	198	
	110 mm	"	315	347	369	
	<b>Double Tee</b>					
	75 mm	गोटा	361	397	377	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	<b>Double Tee with door</b>		0			
	75 mm	गोटा	458	504	427	
	110 mm	"	748	822	662	
	<b>Vent cowl</b>					
	75 mm	गोटा	57	63	53	
	110 mm	"	95	105	87	
	<b>Socket plug</b>					
	75 mm	गोटा	78	86	66	
	110 mm	"	114	125	108	
	<b>Single "Y"</b>					
	75 mm	गोटा	170	187	190	
	110 mm	"	332	365	363	
	<b>Single "Y" with door</b>					
	75 mm	गोटा	222	244	230	
	110 mm	"	417	458	438	
	<b>Double "Y"</b>					
	75 mm	गोटा	238	261	253	
	110 mm	"	438	482	499	
	<b>Double "Y" with door</b>					
	75 mm	गोटा	344	378	325	
	110 mm	"	532	585	523	
	<b>Cleaning pipe</b>					
	75 mm	"	141	155	147	
	110 mm	"	270	297	284	
	<b>Reducer</b>					
	110x 75 mm	"	141	155	131	
	75X50 mm	"	74	81	69	
	<b>P -Trap</b>					
	125mmx110mm	"	549	604	539	
	110mmx110mm	"	528	580	505	
	75mmx75mm	"	205	226	193	
	<b>Multi-Floor -Trap</b>					
	110mmx75mm	"	303	333	280	
	<b>Nahani-Trap</b>					
	110mmx75mm	"	275	302	255	
	<b>W.C. Connector (bent type)</b>	"	282	311	261	
	<b>Square tile with jali</b>	"	90	99	84	
	<b>Round jali</b>	"	42	46	38	
	<b>End cap 50mm</b>	"	30	33	25	
<b>29.0</b>	<b>G.I Pipe threaded , 6 m. length With Cap</b>					
	<b>a) Light class</b>					
	i. ½ " (15 mm)	र.सी	113	113	102	
	ii. ¾" (20 mm)	"	155	155	138	
	iii. 1" (25 mm)	"	217	217	195	
	iv. 1 ¼" (32 mm)	"	278	278	250	
	v. 1 ½ " (40 mm)	"	347	347	310	
	vi. 2" (50 mm)	"	437	437	475	
	vii. 2 ¼ " (65 mm)	"	505	505	510	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
ix.	4" (100 mm)	"	1023	1023	913	
x.	5" (125 mm)	"	1562	1562	1385	
xi.	6" (150 mm)	"	1855	1855	1703	
xii.	8" (200 mm)	"	2673	2673	2453	
<b>b) Medium class</b>						
i.	½" (15 mm)	र.मी	133	133	120	
ii.	¾" (20 mm)	"	170	170	152	
iii.	1" (25 mm)	"	258	258	230	
iv.	1 ¼" (32 mm)	"	337	337	300	
v.	1 ½" (40 mm)	र.मि	387	387	345	
vi.	2" (50 mm)	"	532	532	473	
vii.	2 ½" (65 mm)	"	678	678	605	
viii.	3" (80 mm)	"	845	845	752	
ix.	4" (100 mm)	"	1265	1265	1458	
x.	5" (125 mm)	"	1653	1653	1517	
xi.	6" (150 mm)	"	2000	2000	1835	
xii.	8" (200 mm)	"	3060	3060	2805	
<b>c) Heavy duty</b>						
			0	0		
i.	½" (15 mm)	र.मि	158	158	143	
ii.	¾" (20 mm)	"	200	200	178	
iii.	1" (25 mm)	"	303	303	253	
iv.	1 ¼" (32 mm)	"	388	388	345	
v.	1 ½" (40 mm)	"	447	447	398	
vi.	2" (50 mm)	"	657	657	585	
vii.	2 ½" (65 mm)	"	822	822	730	
viii.	3" (80 mm)	"	968	968	862	
ix.	4" (100 mm)	"	1465	1465	1325	
x.	5" (125 mm)	"	1885	1885	1708	
xi.	6" (150 mm)	"	2133	2133	1600	
xii.	8" (200 mm)	"	3292	3292	2980	
<b>30.0 G.I. Pipe fittings ISI or NS Standard</b>						
<b>a) G.M. Gate valve</b>						
i.	½"	गोटा	844	844	802	
ii.	¾"	"	1051	1051	998	
iii.	1"	"	1692	1692	1608	
iv.	1 ¼"	"	2414	2414	2294	
v.	1 ½"	"	3041	3041	2889	
vi.	2"	"	4842	4842	4599	
vii.	2 ½"	"	10009	10009	9509	
viii.	3"	"	12445	12445	11823	
ix.	4"	"	20384	20384	19365	
<b>b) G.M Check valve</b>						
i.	½"	गोटा	783	783	744	
ii.	¾"	"	1053	1053	1000	
iii.	1"	"	1557	1557	1479	
iv.	1 ¼"	"	2301	2301	2186	



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
vii.	2 1/2 "	"	8970	8970	8521	
viii.	3"	"	11980	11980	11381	
ix.	4"	"	16930	16930	16084	
<b>c) G.I. Elbow</b>						
i.	1/2 "	गोटा	45	45	43	
ii.	3/4"	"	82	82	78	
iii.	1"	"	128	128	121	
iv.	1 1/4"	"	192	192	183	
v.	1 1/2 "	"	271	271	257	
vi.	2"	"	407	407	387	
vii.	2 1/2 "	"	707	707	671	
viii.	3"	"	1099	1099	1044	
ix.	4"	"	1893	1893	1799	
x.	5"	"	4686	4686	4452	
xi.	6"	"	5640	5640	5358	
<b>d) G.I. Tee</b>						
i.	1/2 "	गोटा	70	70	67	
ii.	3/4"	"	112	112	106	
iii.	1"	"	162	162	154	
iv.	1 1/4"	"	260	260	247	
v.	1 1/2 "	"	360	360	342	
vi.	2"	"	588	588	559	
vii.	2 1/2 "	"	924	924	878	
viii.	3"	"	1250	1250	1187	
ix.	4"	"	2270	2270	2156	
x.	5"	"	6281	6281	5967	
xi.	6"	"	7279	7279	6915	
<b>e) G.I. Union</b>						
i.	1/2 "	गोटा	149	149	141	
ii.	3/4"	"	209	209	198	
iii.	1"	"	306	306	291	
iv.	1 1/4"	"	421	421	400	
v.	1 1/2 "	"	521	521	495	
vi.	2"	"	775	775	737	
vii.	2 1/2 "	"	1587	1587	1507	
viii.	3"	"	2137	2137	2030	
ix.	4"	"	2816	2816	2675	
x.	5"	"	6281	6281	5967	
xi.	6"	"	7599	7599	7219	
<b>f) G.I. Socket</b>						
i.	1/2 "	गोटा	41	41	39	
ii.	3/4"	"	64	64	61	
iii.	1"	"	87	87	83	
iv.	1 1/4"	"	135	135	128	
v.	1 1/2 "	"	182	182	173	
vi.	2"	"	268	268	255	
vii.	2 1/2 "	"	486	486	462	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
x.	5"	"	3100	3100	2945	
xi.	6"	"	4168	4168	3960	
<b>g) C.I. Plug</b>						
i.	1/2 "	गोटा	26	26	25	
ii.	3/4"	"	35	35	33	
iii.	1"	"	44	44	41	
iv.	1 1/4"	"	86	86	82	
v.	1 1/2 "	"	109	109	103	
vi.	2"	"	131	131	124	
vii.	2 1/2 "	"	187	187	178	
viii.	3"	"	383	383	364	
ix.	4"	"	735	735	698	
<b>h) Hex Nipple</b>						
i.	1/2 "	गोटा	49	49	47	
ii.	3/4"	"	75	75	72	
iii.	1"	"	122	122	116	
iv.	1 1/4"	"	190	190	181	
v.	1 1/2 "	"	241	241	229	
vi.	2"	"	359	359	341	
vii.	2 1/2 "	"	658	658	625	
viii.	3"	"	850	850	807	
ix.	4"	"	1302	1302	1237	
<b>i) Reducing Tee</b>						
i.	3/4"	गोटा	122	122	116	
ii.	1"	"	179	179	170	
iii.	1 1/4"	"	285	285	271	
iv.	1 1/2 "	"	396	396	376	
v.	2"	"	647	647	614	
vi.	2 1/2 "	"	1018	1018	967	
vii.	3"	"	1376	1376	1307	
viii.	4"	"	2514	2514	2388	
x.	5"	"	6915	6915	6570	
xi.	6"	"	8006	8006	7605	
<b>i) Reducing Elbow</b>						
i.	3/4"	गोटा	90	90	86	
ii.	1"	"	140	140	133	
iii.	1 1/4"	"	213	213	203	
iv.	1 1/2 "	"	300	300	285	
v.	2"	"	449	449	426	
vi.	2 1/2 "	"	775	775	736	
vii.	3"	"	1194	1194	1134	
viii.	4"	"	2114	2114	2008	
x.	5"	"	5156	5156	4898	
xi.	6"	"	6204	6204	5894	
<b>j) Reducing socket</b>						
i.	3/4"	गोटा	71	71	67	
ii.	1"	"	95	95	90	
iii.	1 1/4"	"	118	118	112	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
v.	2"	"	296	296	281	
vi.	2 1/2 "	"	529	529	502	
vii.	3"	"	755	755	717	
viii.	4"	"	1361	1361	1293	
x.	5"	"	3892	3892	3697	
xi.	6"	"	4576	4576	4347	
<b>K) Short bend</b>						
i.	1/2 "	गोटा	122	122	116	
ii.	3/4"	"	187	187	178	
iii.	1 "	"	287	287	273	
iv.	1 1/4"	"	552	552	525	
v.	1 1/2 "	"	835	835	793	
vi.	2"	"	1222	1222	1161	
vii.	2 1/2 "	"	3136	3136	2980	
viii.	3"	"	4863	4863	4620	
ix.	4"	"	6890	6890	6546	
<b>D) Cross Tee</b>						
i.	1/2 "	गोटा	115	115	109	
ii.	3/4"	"	163	163	155	
iii.	1 "	"	257	257	244	
iv.	1 1/4"	"	447	447	424	
v.	1 1/2 "	"	536	536	509	
vi.	2"	"	868	868	825	
vii.	2 1/2 "	"	1465	1465	1392	
viii.	3"	"	2123	2123	2017	
ix.	4"	"	2866	2866	2723	
<b>M) Tanki nipple</b>						
i.	1/2 "	गोटा	135	135	128	
ii.	3/4"	"	188	188	178	
iii.	1 "	"	279	279	266	
iv.	1 1/4"	"	421	421	400	
v.	1 1/2 "	"	536	536	509	
vi.	2"	"	868	868	825	
vii.	2 1/2 "	"	1671	1671	1588	
viii.	3"	"	2226	2226	2115	
ix.	4"	"	2953	2953	2806	
<b>G.I. Nipple Medium Class ISI or NS</b>						
<b>2" Long</b>						
i.	1/2 "	गोटा	22	22	21	
ii.	3/4"	"	33	33	31	
iii.	1 "	"	45	45	42	
iv.	1 1/4"	"	60	60	57	
v.	1 1/2 "	"	73	73	69	
vi.	2"	"	112	112	106	
<b>3" Long</b>						
i.	1/2 "	गोटा	33	33	31	
ii.	3/4"	"	49	49	47	
iii.	1 "	"	66	66	63	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
v.	1 1/2 "	"	111	111	105	
vi.	2"	"	166	166	157	
vii.	2 1/2 "	"	227	227	216	
viii.	3"	"	331	331	315	
<b>4" Long</b>						
i.	1/2 "	गोटा	45	45	42	
ii.	3/4"	"	65	65	62	
iii.	1"	"	89	89	84	
iv.	1 1/4"	"	119	119	113	
v.	1 1/2 "	"	145	145	138	
vi.	2"	"	222	222	211	
vii.	2 1/2 "	"	304	304	289	
viii.	3"	"	443	443	421	
ix.	4"	"	570	570	541	
<b>6" Long</b>						
i.	1/2 "	गोटा	66	66	63	
ii.	3/4"	"	99	99	94	
iii.	1"	"	132	132	126	
iv.	1 1/4"	"	180	180	171	
v.	1 1/2 "	"	222	222	211	
vi.	2"	"	333	333	316	
vii.	2 1/2 "	"	454	454	432	
viii.	3"	"	651	651	618	
ix.	4"	"	805	805	764	
<b>9" Long</b>						
i.	1/2 "	गोटा	99	99	94	
ii.	3/4"	"	146	146	139	
iii.	1"	"	177	177	168	
iv.	1 1/4"	"	269	269	256	
v.	1 1/2 "	"	362	362	344	
vi.	2"	"	499	499	474	
vii.	2 1/2 "	"	674	674	640	
viii.	3"	"	997	997	947	
ix.	4"	"	4273	4273	4059	
<b>12" Long</b>						
i.	1/2 "	गोटा	132	132	126	
ii.	3/4"	"	194	194	184	
iii.	1"	"	220	220	209	
iv.	1 1/4"	"	360	360	342	
v.	1 1/2 "	"	443	443	421	
vi.	2"	"	664	664	631	
vii.	2 1/2 "	"	897	897	852	
viii.	3"	"	1328	1328	1262	
ix.	4"	"	1586	1586	1507	
<b>18" Long</b>						
i.	1/2 "	गोटा	199	199	189	
ii.	3/4"	"	245	245	233	
iii.	1"	"	331	331	315	

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
v.	1 1/2 "	„	662	662	629	
vi.	2"	„	997	997	947	
vii.	2 1/2 "	„	1347	1347	1280	
viii.	3"	„	1973	1973	1874	
ix.	4"	„	2406	2406	2286	
<b>G.I./G.I. Flange</b>						
i.	1 1/4"	गोटा	845	845	803	
ii.	1 1/2 "	„	1040	1040	988	
iii.	2"	„	1275	1275	1211	
iv.	2 1/2 "	„	1490	1490	1416	
v.	3"	„	1660	1660	1577	
vi.	4"	„	2060	2060	1957	
vii.	5"	„	2945	2945	2798	
viii.	6"	„	3060	3060	2907	
ix.	8"	„	6095	6095	5790	
<b>G.I./HDP Flange</b>						
i.	1 1/4"	गोटा	910	910	865	
ii.	1 1/2 "	„	1160	1160	1102	
iii.	2"	„	1370	1370	1302	
iv.	2 1/2 "	„	1600	1600	1520	
v.	3"	„	1710	1710	1625	
vi.	4"	„	2110	2110	2005	
vii.	5"	„	2945	2945	2798	
viii.	6"	„	3075	3075	2921	
ix.	8"	„	6690	6690	6356	
<b>HDP/HDP Flange set with adaptor</b>						
i.	1 1/4"	गोटा	910	910	865	
ii.	1 1/2 "	„	1160	1160	1102	
iii.	2"	„	1370	1370	1302	
iv.	2 1/2 "	„	1600	1600	1520	
v.	3"	„	1710	1710	1625	
vi.	4"	„	2110	2110	2005	
vii.	5"	„	3345	3345	3178	
viii.	6"	„	3075	3075	2921	
ix.	8"	„	6690	6690	6356	
<b>Brass tap 1/2"</b>						
i.	1/2 " (Wt. 400 gm)	गोटा	795	795	755	
ii.	1/2 " ordinary	गोटा	180	180	171	
<b>Globe Valve (GM)</b>						
i.	1/2 "	गोटा	810	810	770	
ii.	3/4"	„	1320	1320	1254	
iii.	1"	„	1630	1630	1549	
iv.	1 1/4"	„	2590	2590	2461	
v.	1 1/2 "	„	3260	3260	3097	
vi.	2"	„	4070	4070	3867	
vii.	2 1/2 "	„	7995	7995	7595	
viii.	3"	„	13210	13210	12550	
ix.	4"	„	21360	21360	20292	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
ii.	¾"	॥	1125	1125	1069	
iii.	1"	॥	1365	1365	1297	
iv.	1 ¼"	॥	2360	2360	2242	
v.	1 ½"	॥	3545	3545	3368	
vi.	2"	॥	4720	4720	4484	
<b>C.I. Air valve (Heavy)</b>						
i.	½"	गोटा	3295	3295	3130	
ii.	¾"	॥	4545	4545	4318	
iii.	1"	॥	5040	5040	4788	
<b>Brass Union with Adopter</b>						
i.	½"	गोटा	215	215	204	
ii.	¾"	॥	330	330	314	
iii.	1"	॥	500	500	475	
iv.	1 ¼"	॥	650	650	618	
v.	1 ½"	॥	1160	1160	1102	
vi.	2"	॥	1720	1720	1634	
<b>Saddle Ferrule</b>						
i.	1 ½"	गोटा	310	310	295	
ii.	2"	॥	410	410	390	
iii.	2 ½"	॥	1145	1145	1088	
iv.	3"	॥	1515	1515	1439	
v.	4"	॥	2160	2160	2052	
<b>Flow Regulating Valve (G.M.)</b>						
i.	½"	गोटा	1160	1160	1102	
<b>C.I Sluice Valve</b>						
i.	1 ½"	गोटा	6005	6005	5705	
ii.	2"	॥	8010	8010	7610	
iii.	2 ½"	॥	10005	10005	9505	
iv.	3"	॥	12009	12009	11409	
v.	4"	॥	16008	16008	15208	
v.	5"	॥	24330	24330	23114	
v.	6"	॥	29200	29200	27740	
v.	8"	॥	40880	40880	38836	
<b>Brass Ferrule Cock</b>						
i.	½"	गोटा	1320	1320	1254	
ii.	¾"	॥	1720	1720	1634	
iii.	1"	॥	2525	2525	2399	
<b>Ball valve</b>						
a)	15mm	गोटा	450	450	428	
b)	20 mm	॥	570	570	542	
c)	25 mm	॥	765	765	727	
d)	32 mm	॥	922	922	876	
e)	40 mm	॥	1785	1785	1696	
f)	50 mm	॥	2930	2930	2784	
<b>31.0 Supplying of Rcc ring for construction of well</b>						
<b>31.1 Ring</b>						
i)	28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	563	563	563	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	„	1074	1074	1074	
<b>31.2</b>	<b>Supplying &amp; fixing of metal frame and Rcc cover</b>					
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1700	1700	1700	
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	„	2250	2250	2250	
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	„	2470	2470	2470	
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	„	2950	2950	2950	
<b>32.0</b>	<b>ईनार खन्नेको लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२० देखि २५फीट सम्म को गहीराइमा ढक्कन बाहेक)</b>					
	i) 28" dia. R.C.C. Ring	र.मी	3435.00	3538	3892	
	ii) 36" dia. R.C.C. Ring	„	4360.00	4491	4940	
	iii) 42" dia. R.C.C. Ring	„	5075.00	5227	5750	
	iv) 48" dia. R.C.C. Ring	„	6260.00	6448	7093	
<b>32.2</b>	<b>२५ फीट देखि माथीको गहीराइ भएमा</b>					
	<b>ईनार खन्नेको लागि R.C.C. रिङ्ग आपूर्ति गरि माटो खन्ने ,आवश्यक फिल्टर सामग्री राख्ने तथा जडान समेतको सबै कार्यहरू (२५ फीट देखि माथीको गहीराइ भएमा मात्र ढक्कन बाहेक)</b>					
	i) 28" dia. R.C.C. Ring	र.मी	4610.00	4748	5223	
	ii) 36" dia. R.C.C. Ring	„	7795.00	8029	8832	
	iii) 42" dia. R.C.C. Ring	„	9435.00	9718	10690	
	iv) 48" dia. R.C.C. Ring	„	11335.00	11675	12843	
<b>33.0</b>	<b>Accessories for Deep boring works by machine .</b>					
	i) MS Slotted pipe	Kg	80.00	-	-	
	ii) Submersible pump with motor 15 hp per set, head 80 m.discharge 10 lps. with control pannel	Set	160000.00	-	-	
	iii) Submersible pump with motor 12.5 hp per set, head 80 m.discharge 8 lps.with control pannel	„	150000.00	-	-	
	iv) Submersible pump with motor 10 hp per set, head 70 m.discharge 7 lps. with control pannel	„	145000.00	-	-	
	v) Submersible pump with motor 7.5 hp per set, head 70 m.discharge 5 lps. with control pannel	„	125000.00	-	-	
	vi) 10 mm sq. submersible Cable three phase per meter	र.मि	1000.00	-	-	
	vii) 6 mm sq. submersible Cable three phase per meter	„	850.00	-	-	
	viii) 4 mm sq. submersible Cable three phase per meter	„	750.00	-	-	
	ix) 2.5 mm sq. submersible Cable three phase per meter	„	650.00	-	-	
	x) Pannel Board Suitable for above pumps 20 H P	set	55000.00	-	-	
	xi) Pannel Board Suitable for above pumps 15 H P	„	50000.00	-	-	
	xii) Pannel Board Suitable for above pumps 12.50 H P	„	45000.00	-	-	
	xiii) Pannel Board Suitable for above pumps 10 H P	„	40000.00	-	-	
	xiv) Pannel Board Suitable for above pumps 7.5 H P	„	35000.00	-	-	
	xv) 10" dia flange and flange cover with nut bolt , thickness 10 mm	„	10000.00	-	-	
	xvi) 8" dia flange and flange cover with nut bolt , thickness 10 mm	„	8000.00	-	-	
	xvii) 6" dia flange and flange cover with nut bolt , thickness 10 mm	„	6000.00	-	-	
	xviii)10" MS collar (socket) suitable for above pipe thickness 7 mm	„	2500.00	-	-	
	xix) 8" MS collar (socket) suitable for above pipe thickness 6 mm	„	2000.00	-	-	
	xx) 6" MS collar (socket) suitable for above pipe thickness 6 mm	„	1750.00	-	-	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	vi) 200 mm dia ms pipe of 7 mm thick Slotted pipe	„	6500.00	-	-	
	vi) 150 mm dia ms pipe of 5.4 mm thick	„	2300.00	-	-	
	vi) 150 mm dia ms pipe of 5.4 mm thick Slotted pipe	„	3500.00	-	-	
	<b>Construction material for deep boring</b>					
	Bentonite	Ton	9200.00	-	-	
	Barite	Ton	11500.00	-	-	
	Drill bit	nos	34500.00	-	-	
	Oxyzen gs	cy,	575.00	-	-	
	Acetelyne gas	cy,	575.00	-	-	
	Bucket	nos	575.00	-	-	
	Liner	nos	4025.00	-	-	
	Piston rod	nos	5750.00	-	-	
	Gland packing	set	115.00	-	-	
	swivel packing	Set	115.00	-	-	
	V-packing	Set	115.00	-	-	
	Valve / Steel ball	nos	575.00	-	-	
	Valve sheat	nos	575.00	-	-	
	Valve Packing	nos	115.00	-	-	
	<b>Machinery for Deep boring</b>					
	Rig machine	Hrs	2346.00	-	-	
	Elec. Generetor	"	540.00	-	-	
	Water truck	"	632.00	-	-	
	Cargo truck	"	424.00	-	-	
	Picup truck	"	330.00	-	-	
	Water pump	"	195.00	-	-	
	Electric logger	"	3138.00	-	-	
	<b>34.0 Sanitary Tools</b>					
	a Adjustable spanner					
	10"	Pc	247.5	248	248	
	12"	Pc	467.5	468	468	
	15"	Pc	1347.5	1348	1348	
	18"	Pc	1595	1595	1595	
	b Blow Torch					
	1/2 pint	Pc	1391.5	1392	1392	
	1 pint	Pc	1716	1716	1716	
	c Building Trowel	Pc	77	77	77	
	d Chain Pipe wrench					
	50mm	Pc	1595	1595	1595	
	75mm	Pc	1897.5	1898	1898	
	100mm	Pc	2227.5	2228	2228	
	150mm	Pc	3135	3135	3135	
	200mm	Pc	5335	5335	5335	
	e Chain Pulley in Ton					
	3 ton	Pc	17050	17050	17050	
	5 ton	Pc	28160	28160	28160	
	f Stone Chisel 1"x12"	Pc	357.5	358	358	
	g Die teeth oil with cane (250 ml size)	Pc	275	275	275	
	h Smooth steel file half round					
	8"	Pc	522.5	523	523	
	10"	Pc	1001	1001	1001	
	i Flat file 10"	Pc	522.5	523	523	
	10.0 Hacksaw Blade					



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT) बाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
j	Hacksaw Frame 6mm	Pc	187	187	187	
k	Handle die set					
	25 mm	Pc	3107.5	3108	3108	
	50 mm	Pc	3520	3520	3520	
	60 mm	Pc	9350	9350	9350	
l	Heating Plate					
	80 mm	Pc	935	935	935	
	100 mm	Pc	1072.5	1073	1073	
	125 mm	Pc	1375	1375	1375	
	150 mm	Pc	1639	1639	1639	
	200 mm	Pc	2651	2651	2651	
	250 mm	Pc	3212	3212	3212	
	300 mm	Pc	3751	3751	3751	
m	Iron Brush 12"	Pc	71.5	72	72	
n	Iron Pan (madium)	Pc	253	253	253	
o	Pick Axe 1.7 Kg.	Pc	418	418	418	
p	Pipe Cutter					
	15-50 mm	Pc	1980	1980	1980	
	65-80 mm	Pc	3080	3080	3080	
	100 mm	Pc	4950	4950	4950	
	125 mm	Pc	5500	5500	5500	
	150 mm	Pc	9790	9790	9790	
q	Pipe Jack Machine (Heavy)	Pc	31350	31350	31350	
r	Pipe Vice					
	2"	Pc	2420	2420	2420	
	3"	Pc	3520	3520	3520	
	4"	Pc	5307.5	5308	5308	
	5"	Pc	9845	9845	9845	
s	Pipe Wrench					
	10"	Pc	308	308	308	
	12"	Pc	572	572	572	
	14"	Pc	682	682	682	
	18"	Pc	1083.5	1084	1084	
	24"	Pc	1496	1496	1496	
	36"	Pc	5280	5280	5280	
	48"	Pc	9350	9350	9350	
t	Plumb Bob Line	Pc	88	88	88	
u	Rachet Die Set					
	1/2"-1"	Pc	4180	4180	4180	
	1 1/4" -2"	Pc	7810	7810	7810	
	2 1/2"-3"	Pc	17050	17050	17050	
v	Round File 10"	Pc	357.5	358	358	
w	Screw Driver 12"	Pc	198	198	198	
x	Shovel 1.5 Kg	Pc	357.5	358	358	
y	Slide wrench					
	10"	Pc	352	352	352	
	12"	Pc	473	473	473	
	15"	Pc	1380.5	1381	1381	
z	Spade	Pc	429	429	429	
A	Spare Die Teeth					
	15 mm	Pc	572	572	572	
	20 mm	Pc	572	572	572	
	25 mm	Pc	572	572	572	

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	50 mm	Pc	1567.5	1568	1568	
	65 mm	Pc	1815	1815	1815	
	80 mm	Pc	2035	2035	2035	
B	Teflon Cover					
	5'x5'	Pc	302.5	303	303	
	7'x7'	Pc	412.5	413	413	
C	Teflon Cloth	m	3327.5	3328	3328	
D	Teflon Tape 10 mm roll	Roll	16.5	17	17	
E	Thermochrome Crayon					
	Indian	Pc	742.5	743	743	
	Germany	Pc	1485	1485	1485	
F	Tool Box (14"x8"x22")	Pc	2040.5	2041	2041	
35	<b>Anaerobic treatment for waste water ( sintex/ equivalent)As per ASTM-D-2583</b> (. Should be FRP based Septic tank along with fixed film aeration tank, Should operate in zero load as well. Exterior/Interior surface shall be reasonably smooth No fibers loosely attached minimum Internal Vacuum test As per UL-1316/CSI Each tank to withstand internal partial vacuum without rupture as under Vacuum as per equation in Std. UL-1316Clause18 Deformation test As per Product Specifications ≤37.5 mm Interior surface shall be resin rich with no exposed fibers & should be free of De lamination,Cracks etc.,)					
	800 lts for 4 persons	nos	-	-	63,750	
	1200 lts for 6 people	nos	-	-	79,050	
	1600 lts for 10 persons	nos	-	-	95,200	
37	<b>Irrigation Works excluding pipes including installation ( Rainbird or equivalent)</b>					
1	Supply flexible, <b>kink resistant</b> pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	Rm	-	-	150.00	
2	Supplyof <b>Xeri bug emitter pressure compensating</b> with selfpiercing barbs,flow rates 1.89LPH to7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	Nos	-	-	30.00	
3	<b>SPRINKLERS &amp; ACCESSORIES</b>		-	-		
	Unispray	No.	-	-	660.00	
	Providing of <b>Pop up spray head</b> having and <b>two piece stem ratchet</b> ( 0 to 360 degrees)nozzle capable of covering 1.2*8.5 Bars with a <b>STRIP NOZZLE</b> discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover <b>15SST</b>	No.	-	-	1200.00	
	Providing of <b>Shrub</b> spray head having <b>variable adjustable arc</b> ( 0 to 360 degrees)nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover <b>PA series</b>	No.	-	-	1200.00	
	gear rotors 5004	No.	-	-	3100.00	
	Providing of 1/2" Pop up Connecting <b>Swing joint Assembly</b> . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43°C and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic. <b>SA Series</b>	No.	-	-	390.00	
			-	-		

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. (VAT)वाहेक (रु.)			कैफियत
			आ.व.			
			२०७०/७१	२०७१/७२	२०७२/७३	
	Providing of 3/4" Pop up Connecting <b>Swing joint Assembly</b> . The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm <sup>2</sup> at 43°C and a surge pressure of 16.6 kg/cm <sup>2</sup> . The fittings shall be made of UV resistant thermo plastic. <b>SA</b>	No.	-	-	480.00	
	Providing and fixing of <b>HDPE service saddle</b> of varying size		-	-	850.00	
<b>4</b>	<b>VALVES &amp; ACCESSORIES</b>		-	-		
	Providing and fixing <b>PVC Ball Valve</b> ,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	No.	-	-	1800.00	
	Providing & fixing of a double acting <b>Air release valve 3/4"</b> made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	No.	-	-	2100.00	
	12" Rectangular Valve Box with <b>greenlid and corrugated structure</b> with unique shovel access slot and bolt hole knockout	No.	-	-	7500.00	
	6"Round box.	No.	-	-	1250.00	
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring <b>3RC</b>	No.	-	-	13500.00	
	Key threads into top of QCV to provide water access <b>33DK</b>	No.	-	-	9750.00	

नोट : माथि उल्लेखित दररेटमा नपरेका सामानहरू काठमाडौं जिल्लाले निर्धारण गरेको स्वीकृत दररेटलाई आधार मानी ढुवानी दिनु पर्ने भए सो समेत जोडी नर्स अनुसार दर निर्धारण गरी कार्यान्वयन गर्ने निर्णय गरियो ।